PHYSICS AND CHEMISTRY OF MINERALS

In Cooperation with the International Mineralogical Association (IMA)

Founding Editor: S. S. Hafner

Edited by I. Jackson, A. S. Marfunin, C. T. Prewitt, F. Seifert

Advisory Board

T.J. Ahrens Pasadena
A. Authier Paris
A. Baronnet Marseille
P.M. Bell Washington
G.B. Bokij Moscow
V. Gabis Orléans la Source
G.V. Gibbs Blacksburg
T. Hahn Aachen
J.C. Jamieson† Chicago
R. Jeanloz, Berkeley
K. Langer Berlin
G. Lehmann Münster
R.C. Liebermann Stony Brook
J.D.C. McConnell Cambridge, U.K.
A.C. McLaren Clayton
N. Morimoto Kyoto
A. Navrotsky Tempe
R.E. Newnham University Park
A. Preisinger Vienna
R.N. Schock, Livermore
R.D. Shannon Wilmington
I. Sunagawa Sendai
Y. Syono Sendai
J. Tossell, College Park
V.M. Vinokurov Kazan
B.J. Wuensch Cambridge, Mass.

Collective Author-Index, Volumes 1–10 (1977–1984)
Collective Subject-Index, Volumes 1–10 (1977–1984)

Springer International

Physics and Chemistry of Minerals

In Cooperation with the International Mineralogical Association (IMA)

Founded in 1977. Founding Editor: S. S. Hafner.
Volumes 1–9 (1977–1983) edited by S. S. Hafner, A. S. Marfunin, and C.T. Prewitt,
from Volume 10 (1984) by I. Jackson, A. S. Marfunin, C.T. Prewitt, F. Seifert.

Copyright

Submission of a manuscript implies that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review or thesis), that it is not under consideration for publication elsewhere, that its publication has been approved by all the authors and by the responsible authorities – tacitly or explicitly – in the institutes where the work was carried out and that, if accepted, it will not be published elsewhere in the same form, in either the same or another language, without the consent of the copyright holders. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform, electronic data base, video disks, or any other reproductions of similar nature, and translations. Photographic reproduction, microform, electronic data base, video disks, or any other reproduction of text, figures, or tables from this journal is prohibited without permission obtained from the publisher.

The use of general descriptive names, trade names, trade marks, etc., in this publication, even if the former are not specifically identified, is not to be interpreted as exempt from the relevant protective laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of going to press, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for the USA

Photocopies may be made for personal or internal use beyond that permitted by Section 107 or 108 of the U.S. Copyright Law, provided a fee is paid. This fee is $0.20 per page or a minimum of $1.00 if an article consists of less than five pages. Please pay this fee to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0340-6997, volume, and first and last page numbers of each article copied.

The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying.

Other regulations

Authors of this journal can benefit from library and photocopy fees collected by VG WORT if certain conditions are met. If an author lives in the Federal Republic of Germany or in West Berlin it is recommended that he contact Verwertungsgesellschaft WORT, Abteilung Wissenschaft, Goethestraße 49, D-8000 München 2, for detailed information.

Printed by Universitätsdruckerei H. Stürtz AG, Würzburg

© Springer-Verlag Berlin Heidelberg 1984

Printed in Germany

Collective Author Index, Volumes 1–10 (1977–1984)

A

Abbona F, see Boistelle R (1983) et al. 9:216–222
Abu-Eid RM, Langer K, Seifert F (1978) Optical absorption and Mössbauer spectra of purple and green yoderite, a kyanite-related mineral 3:271–289
Abu-Eid RM, see Langer K (1977) 1:273–299
Acker P van, see Vochten R (1983) et al. 9:263–268
Ahrens TJ, see Gibbons RV (1977) 1:95–107
Ahrens TJ, see Goto T (1979) et al. 4:253–263
Ahrens TJ, see Kondo K (1983) 9:173–181
Akaogi M, Navrotsky A (1984) Calorimetric study of the stability of spinelloids in the system $NiAl_2O_4-Ni_2SiO_4$ 10:166–172
Akasaka M (1983) ^{57}Fe Mössbauer study of clinopyroxenes in the join $CaFe^{3+}AlSiO_6-CaTiAl_2O_6$ 9:205–211
Akimoto S-i, see Sato Y (1977) et al. 2:171–176
Akimoto S, see Bass JD (1984) et al. 10:261–272
Alberti A, Cariati F, Erre L, Piu P, Vezzalini G (1983) Spectroscopic investigation on the presence of OH in natural barrerite and its collapsed phases 9:189–191
Alberti A, Rinaldi R, Vezzalini G (1978) Dynamics of dehydration in stilbite-type structures; stellerite phase B 2:365–375
Allred DD, see Clark GJ (1978) et al. 3:199–211
Amossé J (1978) Physicochemical study of the hubnerite-ferberite ($MnWO_4-FeWO_4$) zonal distribution in wolframite ($Mn_xFe_{(1-x)}WO_4$) deposits. Application to the Borralha mine (Portugal) 3:331–341
Amossé J (1981) A theoretical approach to oscillatory zoning affecting wolframite crystals 7:190–193
Amossé J, see Guillen R (1982) et al. 8:83–86
Amossé J, see Thierry P (1981) et al. 7:43–46
Amouric M, Baronnet A (1983) Effect of early nucleation conditions on synthetic muscovite polytypism as seen by high resolution transmission electron microscopy 9:146–159
Amthauer G, Annersten H, Hafner SS (1977) The Mössbauer spectrum of ^{57}Fe in titanium-bearing andradites 1:399–413
Amthauer G, Langer K, Schliestedt M (1980) Thermally activated electron delocalization in deerite 6:19–30
Amthauer G, McIver JR, Viljoen EA (1979) ^{57}Fe and ^{119}Sn Mössbauer studies of natural tin-bearing garnets 4:235–244
Amthauer G, see Litterst FJ (1984) 10:250–255
Anderson OL (1979) The Hildebrand equation of state for minerals relevant to geophysics 5:33–51
Anderson OL, see Sumino Y (1983) et al. 9:38–47
Anderson OL, see Suzuki I (1983) et al. 10:38–46
Angel RJ, Price GD, Putnis A (1984) A mechanism for pyroxene-pyroxenoid and pyroxenoid-pyroxenoid transformations 10:236–243
Annersten H, see Amthauer G (1977) et al. 1:399–413
Annersten H, see Hålenius U (1981) et al. 7:117–123
Annersten H, see Tang Kai A (1980) et al. 5:343–349
Aonuma K, see Sunagawa I (1979) et al. 5:53–63
Appleman DE, see Shannon RD (1980) et al. 5:245–253
Appleton BR, see Clark GJ (1978) et al. 3:199–211
Apted MJ, see Waychunas GA (1983) et al. 10:1–9
Aquilano D, Franchini-Angela M (1981) Twin laws of whewellite, $CaC_2O_4\cdot H_2O$. A structural and growth approach 7:124–129
Aquilano D, see Franchini-Angela M (1984) 10:114–120
Aragón R, McCallister RH (1982) Phase and point defect equilibria in the titanomagnetite solid solution 8:112–120
Aragonés J, Fert A, Ferrer N, Schmidt MC, Tejada J, Font-Altaba M (1982) Mössbauer and high field magnetization studies of the solid solution $CoFe_xAl_{2-x}O_4$ 8:206–211
Aranovich LYa, see Perchuk LL (1979) 5:1–14
Aranovich LYa, see Perchuk LL (1980) 6:249
Arkhipenko DK, see Bokij GB (1977) 1:233–242
Arndt J, Hummel W, Gonzalez-Cabeza I (1982) Diaplectic labradorite glass from the Manicouagan impact crater. I. Physical properties, crystallization, structural and genetic implications 8:230–239
Atkinson BK (1978) High-temperature stress relaxation of synthetic, polycrystalline galena 2:305–315
Authier A, Zarka A (1977) Observation of growth defects in spodumene crystals by X-ray topography 1:15–26

B

Bagmut NN, see Matyash IV (1982) et al. 8:149–152
Bagmut NN, see Matyash IV (1983) et al. 9:277
Baillif P, see Thomassin JH (1977) et al. 1:385–398
Bakker M, see Prodan A (1982) et al. 8:188–192
Bal KD, Lal N, Nagpaul KK (1982) Fission track etching studies of different planes of epidote 8:158–160
Bal KD, see Sharma OP (1979) et al. 5:133–139
Balakirev VG (1981) Dislocation substructures of grain boundaries on splitting surfaces of quartz rocks 7:5–9
Ball A, White S (1978) On the deformation of quartzite 3:163–172
Ballet O, Coey JMD (1982) Magnetic properties of sheet silicates; 2:1 layer minerals 8:218–229
Ballet O, see Coey JMD (1981) et al. 7:141–148
Barber DJ, Freeman LA, Smith DJ (1983) Analysis of high-voltage, high-resolution images of lattice defects in experimentally-deformed dolomite 9:102–108
Barber DJ, Heard HC, Wenk HR (1981) Deformation of dolomite single crystals from 20–800° C 7:271–286
Barber DJ, Wenk H-R (1979) Deformation twinning in calcite, dolomite, and other rhombohedral carbonates 5:141–165
Barinsky RL, Kulikova IM (1977) Metamict transformations in some niobates and zircons according to X-ray absorption spectra 1:325–333
Baronnet A, see Amouric M (1983) 9:146–159
Baronnet A, see Pandey D (1982) et al. 8:268–278
Bass JD, Weidner DJ, Hamaya N, Ozima M, Akimoto S (1984) Elasticity of the olivine and spinel polymorphs of Ni_2SiO_4 10:261–272
Bass JD, see Vaughan MT (1983) 10:62–68
Baur WH (1977) Computer simulation of crystal structures 2:3–20
Bayev AS, see Teterin YuA (1981) et al. 7:151–158
Bazarov LSh, see Stenina NG (1984) et al. 10:180–186
Beck CW (1982) Physical methods used to determine the geological origin of amber and other fossil resins; some critical remarks: Comment 8:146
Bell IA, Wilson CJL (1977) Growth defects in metamorphic biotite 2:153–169
Bell PM, see Yagi T (1978) et al. 3:97–110
Belov VF, see Korovushkin VV (1979) et al. 4:209–220
Beran A, Putnis A (1983) A model of the OH positions in olivine, derived from infrared-spectroscopic investigations 9:57–60
Bershov LV, Gaite J-M, Hafner SS, Rager H (1983) Electron paramagnetic resonance and ENDOR studies of $Cr^{3+}-Al^{3+}$ pairs in forsterite 9:95–101

Bershov LV, see Ryabov ID (1983) et al. 10:21–26
Bertel E, Märk TD (1983) Fission tracks in minerals: annealing kinetics, track structure and age correction 9:197–204
Besson JM, see Couty R (1983) et al. 10:89–93
Besson JM, see Velde B (1981) 7:96–99
Bill H, Calas G (1978) Color centers, associated rare-earth ions and the origin of coloration in natural fluorites 3:117–131
Blak AR, Isotani S, Watanabe S (1982) Optical absorption and electron spin resonance in blue and green natural beryl 8:161–166
Blak AR, Isotani S, Watanabe S (1983) Optical absorption and electron spin resonance in blue and green natural beryl: a reply 9:279–280
Boistelle R, Abbona F, Madsen HEL (1983) On the transformation of struvite into newberyite in aqueous systems 9:216–222
Bokij GB, Arkhipenko DK (1977) Infrared spectra of oxonium and ammonium ions in layer aluminosilicates 1:233–242
Boland JN, Roermund HLM van (1983) Mechanisms of exsolution in omphacites from high temperature, type B, eclogites 9:30–37
Borg IY, see Borg RJ (1980) 5:219–234
Borg RJ, Borg IY (1980) Mössbauer study of behavior of oriented single crystals of riebeckite at low temperatures and their magnetic properties 5:219–234
Bovin J-O, see O'Keeffe M (1979) et al. 4:299–305
Bras J, see Fagot M (1981) et al. 7:253–259
Bréhat F, see Wyncke B (1981) et al. 7:31–34
Brindley GW, Kao C-C (1984) Structural and IR relations among brucite-like divalent metal hydroxides 10:187–191
Brindley GW, see Newnham RE (1977) et al. 1:379–384
Brown GE, Fenn PM (1979) Structure energies of the alkali feldspars 4:83–100
Brown GE Jr, see Waychunas GA (1983) et al. 10:1–9
Brown WL, Parsons I (1983) Nucleation on perthite-perthite boundaries and exsolution mechanisms in alkali feldspars 10:55–61
Brown WL, see Openshaw RE (1979) et al. 5:95–104
Brown WL, see Wyncke B (1981) et al. 7:31–34
Brunner GO (1984) An interpretation of the structures of α- and β-quartz based on coulomb repulsion forces 10:273–279
Bruyneel W, see Pollak H (1981) et al. 7:10–14
Bulienkov NA, see Orlov YuL (1982) et al. 8:105–111
Bulka GR, Vinokurov VM, Nizamutdinov NM, Hasanova NM (1980) Dissymmetrization of crystals: theory and experiment 6:283–293
Burdett JK, see Price GD (1982) et al. 8:69–76
Burdett JK, see Tossell JA (1981) et al. 7:177–184
Burgner RP, Scheetz BE, White WB (1978) Vibrational structure of the S_2^- luminescence in scapolite 2:317–324
Burns RG, Sung C-M (1978) The effect of crystal field stabilization on the olivine → spinel transition in the system $Mg_2SiO_4-Fe_2SiO_4$ 2:349–364
Burns RG, see Nolet DA (1979) 4:221–234
Burns RG, see Parkin KM (1977) et al. 1:301–311
Burns RG, see Sung C-M (1978) 2:177–197
Byrappa K (1983) The possible reasons for the absence of condensed phosphates in nature 10:94–95

C

Cahay R, see Tarte P (1979) et al. 4:55–63
Calas G, see Bill H (1978) 3:117–131
Calas G, see Caruba R (1983) et al. 9:223–228
Cameron WE (1977) Nonstoichiometry in sillimanite: mullite compositions with sillimanite-type superstructures 1:265–272
Camp DC, see Hise JR van (1981) 7:130–134
Cariati F, see Alberti A (1983) et al. 9:189–191
Carpenter MA (1978) Nucleation of augite at antiphase boundaries in pigeonite 2:237–251
Carpenter MA (1979) Contrasting properties and behaviour of antiphase domains in pyroxenes 5:119–131
Carpenter MA, see McMillan P (1984) et al. 10:256–260
Carson DG, Rossman GR, Vaughan RW (1982) Orientation and motion of water molecules in cordierite: a proton nuclear magnetic resonance study 8:14–19
Carter CB, Kohlstedt DL (1981) Electron irradiation damage in natural quartz grains 7:110–116
Cartlidge S, Wessicken R, Nissen H-U (1983) Electron microscopy study of zeolite ZK-14; a synthetic chabazite 9:139–145
Caruba R, Iacconi P, Cottrant JF, Calas G (1983) Thermoluminescence, fluorescence and electron paramagnetic resonance properties of synthetic hydrothermal scheelites 9:223–228
Catti M, Ivaldi G (1983) Charge distribution from least-energy structure in Ca–Mg orthosilicates 9:160–166
Catti M (1981) The lattice energy of forsterite. Charge distribution and formation enthalpy of the SiO_4^{4-} ion 7:20–25
Cemič L, Will G, Hinze E (1980) Electrical conductivity measurements on olivines $Mg_2SiO_4-Fe_2SiO_4$ under defined thermodynamic conditions 6:95–107
Cemič L, see Will G (1979) et al. 4:189–197
Chatagnon B, see Méary A (1984) et al. 10:173–179
Chatillon-Colinet C, see Thierry P (1981) et al. 7:43–46
Christ CL, Clark JR (1977) A crystal-chemical classification of borate structures with emphasis on hydrated borates 2:59–87
Christie JM, see Kirby SH (1977) 1:137–163
Christie JM, see Wegner MW (1983) 9:67–78
Clark GJ, White CW, Allred DD, Appleton BR, Tsong IST (1978) Hydrogen concentration profiles in quartz determined by a nuclear reaction technique 3:199–211
Clark JR, see Christ CL (1977) 2:59–87
Clark PE, see Fysh SA (1982) 8:180–187
Clark PE, see Fysh SA (1982) 8:257–267
Cline TW, see Laughner JW (1979) et al. 4:129–137
Coey JMD, Ballet O, Moukarika A, Soubeyroux JL (1981) Magnetic properties of sheet silicates; 1:1 layer minerals 7:141–148
Coey JMD, see Ballet O (1982) 8:218–229
Coey JMD, see Moukarika A (1983) et al. 9:269–275
Cook RF, see McLaren AC (1983) et al. 9:79–94
Cottrant JF, see Caruba R (1983) et al. 9:223–228
Couderc JJ, see Fagot M (1981) et al. 7:253–259
Couty R, Velde B, Besson JM (1983) Raman spectra of gypsum under pressure 10:89–93
Craig JR, see Hill RJ (1979) et al. 4:317–339
Crews SS, see Schlenker JL (1977) et al. 1:243–255
Cross LE, see Laughner JW (1979) et al. 4:129–137
Cross LE, see Laughner JW (1982) et al. 8:20–24
Cybriwsky ZA, see Graham EK (1981) 7:216–222
Czank M, Liebau F (1980) Periodicity faults in chain silicates: a new type of planar lattice fault observed with high resolution electron microscopy 6:85–93
Czank M, Simons B (1983) High resolution electron microscopic studies on ferrosilite III 9:229–234

D

Dang NV, see Moukarika A (1983) et al. 9:269–275
Darot M, see Gaboriaud RJ (1981) et al. 7:100–104
Dautov RA, see Shchepkin VD (1980) et al. 6:269–281
Davies GF (1981) An evaluation of three-body interatomic forces and formulation of a general model 7:246–252
Debolsky EI, see Dikov YuP (1977) et al. 1:27–41
Deliens M, see Vochten R (1979) et al. 4:281–290

Deliens M, see Vochten R (1980) 6:129–143
Dempsey MJ, Taylor D (1980) Distance least squares modelling of the cubic sodalite structure and of the thermal expansion of $Na_8(Al_6Si_6O_{24})I_2$ 6:197–208
Devarajan V, Klee WE (1981) A potential model for fluorapatite 7:35–42
Devine SD, see McGavin DG (1982) et al. 8:200–205
Diebolt J, see Méary A (1984) et al. 10:173–179
Dikov YuP, Debolsky EI, Romashenko YuN, Dolin SP, Levin AA (1977) Molecular orbitals of $Si_2O_7^{6-}$, $Si_3O_{10}^{8-}$, etc., and mixed $(B, Al, P, Si)_m$ applied to clusters and X-ray spectroscopy data of silicates 1:27–41
Dodd CG, Ribbe PH (1978) Soft X-ray spectroscopy of ferrous silicates 3:145–162
Dolin SP, see Dikov YuP (1977) et al. 1:27–41
Dollase WA (1980) Optimum distance model of relaxation around substitutional defects 6:295–304
Douglas IN, Runciman WA (1977) Application of magnetic circular dichroism spectroscopy to the optical spectra of natural and irradiated diamonds 1:129–136
Doukhan JC, see Trépied L (1980) et al. 5:201–218
Doukhan JC, see Van-Duysen JC (1984) 10:125–132
Dowty E (1978) Absorption optics of low-symmetry crystals-application to titanian clinopyroxene spectra 3:173–181

E

Edgar A, Vance ER (1977) Electron paramagnetic resonance, optical absorption, and magnetic circular dichroism studies on the CO_3^- molecular-ion in irradiated natural beryl 1:165–178
Egorov VK, see Novikov GV (1977) et al. 1:1–14
Erbudak M, Kalt P, Nissen H-U (1982) Etching morphology and surface structure in platinum 8:197–199
Ericsson T, see Tang Kai A (1980) et al. 5:343–349
Erre L, see Alberti A (1983) et al. 9:189–191
Etheridge MA, see Kirby SH (1981) 7:105–109
Evans HT Jr (1979) The thermal expansion of anhydrite to 1000° C 4:77–82

F

Fagot M, Levade C, Couderc JJ, Bras J (1981) Observation of lattice defects in orthorhombic iron disulfide (marcasite) 7:253–259
Falzone AJ, Stacey FD (1982) Measurements of thermal expansions of small mineral crystals 8:212–217
Farkas L, see Klug A (1981) 7:138–140
Fenn PM, see Brown GE (1979) 4:83–100
Ferrer N, see Aragonés J (1982) et al. 8:206–211
Fert A, see Aragonés J (1982) et al. 8:206–211
Fleet ME (1981) The intermediate plagioclase structure: an explanation from interface theory 7:64–70
Fleet ME (1982) Synthetic smythite and monoclinic Fe_3S_4 8:241–246
Fleet ME, see Osborne MD (1984) 10:245–249
Flörke OW, see Miehe G (1984) et al. 10:197–199
Font-Altaba M, see Aragonés J (1982) et al. 8:206–211
Foris CM, see Shannon RD (1980) et al. 5:245–253
Franchini-Angela M, Aquilano D (1984) Theoretical growth morphology of whewellite $CaC_2C_4 \cdot H_2O$ 10:114–120
Franchini-Angela M, see Aquilano D (1981) 7:124–129
Freeman LA, see Barber DJ (1983) et al. 9:102–108
Frey F, Jagodzinski H, Prandl W, Yelon WB (1977) Dynamic character of the primitive to body-centered phase transition in anorthite 1:227–231
Fukunaga O, Yamaoka S (1979) Phase transformations in ABO_4 type compounds under high pressure 5:167–177
Fysh SA, Clark PE (1982) Aluminous goethite: a Mössbauer study 8:180–187
Fysh SA, Clark PE (1982) Aluminous hematite: a Mössbauer study 8:257–267

G

Gabelica-Robert M, Tarte P (1981) Vibrational spectrum of fresnoite ($Ba_2TiOSi_2O_7$) and isostructural compounds 7:26–30
Gaboriaud RJ, Darot M, Gueguen Y, Woirgard J (1981) Dislocations in olivine indented at low temperatures 7:100–104
Gaite JM (1980) Pseudo-symmetries of crystallographic coordination polyhedra. Application to forsterite and comparison with some EPR results 6:9–17
Gaite J-M, see Bershov LV (1983) et al. 9:95–101
Galland D, see Méary A (1984) et al. 10:173–179
Gancedo R, see Sanz J (1983) et al. 9:14–18
Gandais M, see Kovacs MP (1980) 6:61–76
Gandais M, see Scandale E (1983) et al. 9:182–187
Ganeev IG, see Ryabov ID (1983) et al. 10:21–26
Garcia A, see Tarte P (1979) et al. 4:55–63
Geilikman MB (1980) Coherent transition between nonhydrostatically stressed phases with different elastic properties 6:1–7
Geilikman MB (1982) Mechanisms of polytype stabilization during the wurtzite-sphalerite transition 8:2–7
Geisinger KL, Gibbs GV (1981) SiSSi and SiOSi bonds in molecules and solids: a comparison 7:204–210
Gibbons RV, Ahrens TJ (1977) Effects of shock pressures on calcic plagioclase 1:95–107
Gibbs GV, see Geisinger KL (1981) 7:204–210
Gibbs GV, see Hill RJ (1979) et al. 4:317–339
Gibbs GV, see Louisnathan SJ (1977) et al. 1:53–69
Gibbs GV, see Meagher EP (1979) et al. 4:11–21
Gibbs GV, see Newton MD (1980) 6:221–246
Gibbs GV, see Newton MD (1980) et al. 6:305–312
Gibbs GV, see Newton MD (1981) et al. 7:194
Gibbs GV, see Schlenker JL (1977) et al. 1:243–255
Gibbs GV, see Tossell JA (1977) 2:21–57
Gier TE, see Shannon RD (1980) et al. 5:245–253
Goldman DS, Rossman GR, Parkin KM (1978) Channel constituents in beryl 3:225–235
Goldman DS, Rossman GR (1979) Determination of quantitative cation distribution in orthopyroxenes from electronic absorption spectra 4:43–53
Goni J, see Thomassin JH (1977) et al. 1:385–398
Gonzalez-Cabeza I, see Arndt J (1982) et al. 8:230–239
González-Carreño T, see Sanz J (1983) et al. 9:14–18
Goto T, Ahrens TJ, Rossman GR (1979) Absorption spectra of Cr^{3+} in Al_2O_3 under shock compression 4:253–263
Goto T, see Syono Y (1981) et al. 7:82–87
Goto T, see Takei H (1983) et al. 10:16–20
Graetsch H, see Miehe G (1984) et al. 10:197–199
Graham EK, Cybriwsky ZA (1981) Garnet inclusions in diamond and the state of the upper mantle 7:216–222
Grave E de, see Vochten R (1981) 7:197–203
Grave E de, see Vochten R (1983) et al. 9:263–268
Gueguen Y, see Gaboriaud RJ (1981) et al. 7:100–104
Gueguen Y, see Jaoul O (1979) et al. 5:15–19
Guillen R, Regnard JR, Amossé J (1982) Mössbauer study of natural wolframites 8:83–86
Gupta A, Tossell JA (1981) A theoretical study of bond distances, X-ray spectra and electron density distributions in borate polyhedra 7:159–164

H

Ha T-K, see Meier R (1980) 6:37–46
Hålenius U, Annersten H, Langer K (1981) Spectroscopic studies on natural chloritoids 7:117–123

Hålenius U, see Langer K (1982) et al. 8:143–145
Hålenius U, see Smith G (1982) et al. 8:136–142
Hålenius U, see Tang Kai A (1980) et al. 6:77–84
Hassib A (1980) Electron spin resonance of Mn^{2+} in sodalite 6:31–36
Haeuseler H (1981) Lattice dynamics of BaFBr 7:135–137
Hafner SS, Nagel S (1983) The electric field gradient at the position of copper in Cu_2O and electronic charge density analysis by means of *K*-factors 9:19–22
Hafner SS, see Amthauer G (1977) et al. 1:399–413
Hafner SS, see Bershov LV (1983) et al. 9:95–101
Hake H, see Maschmeyer D (1980) et al. 6:145–156
Hamaya N, see Bass JD (1984) et al. 10:261–272
Hartman P, see Jenkins HDB (1980) 6:313–325
Hasanova NM, see Bulka GR (1980) et al. 6:283–293
Hata M, see Miyake M (1981) et al. 7:88–90
Hazen RM (1977) Temperature, pressure and composition: structurally analogous variables 1:83–94
Heard HC, see Barber DJ (1981) et al. 7:271–286
Heller-Kallai L, Rozenson I (1981) The use of Mössbauer spectroscopy of iron in clay mineralogy 7:223–238
Heller-Kallai L (1982) Mössbauer studies of synthetic and natural micas on the polylithionite-siderophyllite join: Comment 8:98
Hemingway BS, see Openshaw RE (1979) et al. 5:83–93
Henderson CMB, Taylor D (1978) The thermal expansion of synthetic aluminosilicate-sodalites, $M_8(Al_6Si_6O_{24})X_2$ 2:337–347
Henderson CMB, see Openshaw RE (1979) et al. 5:95–104
Henderson CMB, see Taylor D (1978) 2:325–336
Hicks TJ, see Moze O (1980) et al. 5:309–314
Hill EG, see Schlenker JL (1977) et al. 1:243–255
Hill RJ, Craig JR, Gibbs GV (1979) Systematics of the spinel structure type 4:317–339
Hill RJ (1979) Crystal structure refinement and electron density distribution in diaspore 5:179–200
Hill RJ, see Louisnathan SJ (1977) et al. 1:53–69
Hinze E, see Cemič L (1980) et al. 6:95–107
Hinze E, see Will G (1979) et al. 4:189–197
Hinze E, see Will G (1980) et al. 6:157–167
Hirai H, Nakazawa H (1982) Origin of iridescence in garnet: an optical interference study 8:25–28
Hiraishi J, see Ishii M (1982) et al. 8:64–68
Hise JR van, Camp DC (1981) Search for high energy alpha emitters in monazite minerals 7:130–134
Hornemann U, see Schäfer H (1983) et al. 9:248–252
Hornemann U, see Schäfer H (1984) et al. 10:121–124
Hornemann U, see Schneider H (1977) 1:257–264
Hornemann U, see Schneider H (1984) et al. 10:142–147
Hosoya S, see Kouchi A (1983) et al. 9:167–172
Hsu FH, Vance ER (1980) Positron annihilation lifetime spectral changes on dehydration of natural beryls and cordierites 6:47–53
Hudson S, Mazo RM (1983) The effects of aluminum-silicon ordering on phase separation for a two-dimensional model of alkali feldspars 9:9–13
Hummel W, see Arndt J (1982) et al. 8:230–239
Hutchison JL, Nissen H-U, Wessicken R (1979) Observation of talc-tremolite interfaces by high resolution electron microscopy 4:275–280
Hutton DR, see Scala CM (1978) et al. 3:33–44
Huybrechts W, see Vochten R (1979) et al. 4:281–290
Hyde BG, see O'Keeffe M (1979) et al. 4:299–305
Hyde BG, see Prodan A (1982) et al. 8:188–192
Hyde BG, see White TJ (1982) 8:55–63
Hyde BG, see White TJ (1982) 8:167–174
Hyde ST, see McLaren AC (1983) et al. 9:79–94

I

Iacconi P, see Caruba R (1983) et al. 9:223–228
Ichikuni M, see Ishikawa M (1982) et al. 8:247–250
Iishi K, Salje E, Werneke Ch (1979) Phonon spectra and rigid-ion model calculations on andalusite 4:173–188
Iishi K (1978) Lattice dynamics of corundum 3:1–10
Iishi K (1979) Phononspectroscopy and lattice dynamical calculations of anhydrite and gypsum 4:341–359
Ishii K, Miura M, Shiro Y, Murata H (1983) Lattice dynamics of α-quartz including the effect of the width of the atomic electron distribution 9:61–66
Ishii M, Hiraishi J, Yamanaka T (1982) Structure and lattice vibrations of Mg-Al spinel solid solution 8:64–68
Ishikawa M, Sawaoka A, Ichikuni M (1982) The ionic conductivity in high-pressure polymorphs of calcite 8:247–250
Isotani S, see Blak AR (1982) et al. 8:161–166
Isotani S, see Blak AR (1983) et al. 9:279–280
Ito A, see Syono Y (1981) et al. 7:82–87
Ito E, Matsui Y (1979) High-pressure transformations in silicates, germanates, and titanates with ABO_3 stoichiometry 4:265–273
Ito E, see Sato Y (1977) et al. 2:171–176
Ivaldi G, see Catti M (1983) 9:160–166
Iwai S-i, see Miyake M (1979) et al. 4:307–315
Iwai S-i, see Miyake M (1981) et al. 7:88–90
Iwai S, see Miyake M (1981) 7:211–215

J

Jackson I, Liebermann RC, Ringwood AE (1978) The elastic properties of $(Mg_xFe_{1-x})O$ solid solutions 3:11–31
Jacobs GK, Kerrick DM, Krupka KM (1981) The high-temperature heat capacity of natural calcite ($CaCO_3$) 7:55–59
Jagodzinski H, see Frey F (1977) et al. 1:227–231
Jakubith M, Lehmann G (1981) An X-ray photoelectron spectroscopic study of shock-loaded quartz 7:165–168
Jamieson JC, see Özkan H (1978) 2:215–224
Jaoul O, Michaut M, Gueguen Y, Ricoult D (1979) Decorated dislocations in forsterite 5:15–19
Jaurand MC, see Thomassin JH (1977) et al. 1:385–398
Jeanloz R (1980) Infrared spectra of olivine polymorphs: α, β phase and spinel 5:327–341
Jenkins HDB, Hartman P (1980) Application of a new approach to the calculation of electrostatic energies of expanded di- and trioctahedral micas 6:313–325
Jónás K, Vassányl I, Ungvári I (1980) The study of synthetic carbonate-hydroxyapatites and dental enamels by IR and derivatographic methods 6:55–60
Jones LEA (1977) High temperature elasticity of rutile-structure Mg F_2 1:179–197
Jones LEA (1979) Pressure and temperature dependence of the single crystal elastic moduli of the cubic perovskite $KMgF_3$ 4:23–42
Julg A (1978) An empirical relation between hardness and bond-ionicity in a crystal 3:45–53

K

Kalt P, see Erbudak M (1982) et al. 8:197–199
Kao C-C, see Brindley GW (1984) 10:187–191
Kern H (1979) Effect of high-low quartz transition on compressional and shear wave velocities in rocks under high pressure 4:161–171
Kerrick DM, see Jacobs GK (1981) et al. 7:55–59
Kikuchi M, see Takei H (1983) et al. 10:16–20

Kirby SH, Christie JM (1977) Mechanical twinning in diopside Ca (Mg, Fe) Si_2O_6: structural mechanism and associated crystal defects 1:137–163
Kirby SH, Etheridge MA (1981) Exsolution of Ca-clinopyroxene from orthopyroxene aided by deformation 7:105–109
Kirby SH, Wegner MW (1978) Dislocation substructure of mantle-derived olivine as revealed by selective chemical etching and transmission electron microscopy 3:309–330
Kitamura M, Morimoto N (1977) The superstructure of plagioclase feldspars. A modulated coherent structure of the *e*-plagioclase 1:199–212
Kitamura M, see Kouchi A (1983) et al. 9:167–172
Kitamura M, see Nakajima Y (1977) et al. 1:213–225
Kitamura M, see Tomura S (1979) et al. 5:65–81
Kitamura M, see Yasuda M (1983) et al. 9:192–186
Klee WE, see Devarajan V (1981) 7:35–42
Kliche G, see Lutz HD (1983) et al. 9:109–114
Kliem W, Lehmann G (1979) A reassignment of the optical absorption bands in biotites 4:65–75
Klug A, Farkas L (1981) Structural investigations of polycrystalline diaspore samples by X-ray powder diffraction 7:138–140
Kohlstedt DL, see Carter CB (1981) 7:110–116
Kohlstedt DL, see Ricoult DL (1983) 9:133–138
Kohlstedt DL, see Vaughan PJ (1981) 7:241–245
Kondo K, Ahrens TJ (1983) Heterogeneous shock-induced thermal radiation in minerals 9:173–181
Korekawa M, see Ried H (1978) 3:263–270
Korekawa M, see Ried H (1980) 5:351–365
Korekawa M, see Tagai T (1981) 7:77–81
Korovushkin VV, Kuzmin VI, Belov VF (1979) Mössbauer studies of structural features in tourmaline of various genesis 4:209–220
Kouchi A, Hosoya S, Kitamura M, Takei H, Sunagawa I (1983) The effects of crystallographic orientation, interface type and growth kinetics on Ni distribution between olivine and its melt 9:167–172
Kovacs MP, Gandais M (1980) Transmission electron microscope study of experimentally deformed K-feldspar singel crystals. The (12$\bar{1}$)[101] and (010)[100] slip systems 6:61–76
Kramer JJ, see Newnham RE (1977) et al. 1:379–384
Kramer KF (1983) Solid solution – aqueous solution equilibria as a function of *pH* 9:49–56
Krishna P, see Pandey D (1982) et al. 8:268–278
Kroll H, Müller WF (1980) X-ray and electron-optical investigation of synthetic high-temperature plagioclases 5:255–277
Krupka KM, see Jacobs GK (1981) et al. 7:55–59
Krupka KM, see Openshaw RE (1979) et al. 5:83–93
Kübler L (1982) A continuous phase gradient in a „monocrystalline" pyrrhotite 8:8–13
Kulakov VM, see Teterin YuA (1981) et al. 7:151–158
Kulikova IM, see Barinsky RL (1977) 1:325–333
Kumazawa M, see Suzuki I (1980) 5:279–284
Kuzmin VI, see Korovushkin VV (1979) et al. 4:209–220

L

Lacam A (1983) Pressure and composition dependence of the electrical conductivity of iron-rich synthetic olivines to 200 kbar 9:127–132
Lager GA (1978) A novel technique for characterizing thermal expansion in minerals 3:237–249
Lal N, see Bal KD (1982) et al. 8:158–160
Lang AR, Walmsley JC (1983) Apatite inclusions in natural diamond coat, 9:6–8
Langer K, Abu-Eid RM (1977) Measurement of the polarized absorption spectra of synthetic transition metal-bearing silicate microcrystals in the spectral range 44,000–4,000 cm^{-1} 1:273–299
Langer K, Smith G, Hålenius U (1982) Reassignment of the absorption spectra of purple yoderite 8:143–145
Langer K, see Abu-Eid RM (1978) et al. 3:271–289
Langer K, see Amthauer G (1980) et al. 6:19–30
Langer K, see Hålenius U (1981) et al. 7:117–123
Langer K, see Smith G (1982) et al. 8:136–142
Larsson S, see Tang Kai A (1980) et al. 6:77–84
Lasaga AC (1982) Optimization of CNDO for molecular orbital calculation on silicates 8:36–46
Laughner JW, Cline TW, Newnham RE, Cross LE (1979) Acoustic emissions from stress-induced dauphiné twinning in quartz 4:129–137
Laughner JW, Newnham RE, Cross LE (1982) Mechanical twinning in small quartz crystals 8:20–24
Leclerc A (1980) Room temperature Mössbauer analysis of jarosite-type compounds 6:327–334
Lefebvre A (1982) Lattice defects in three structurally related minerals: kyanite, yoderite and staurolite 8:251–256
Lehmann G (1983) Electron paramagnetic resonance study of new paramagnetic centers in microcline-perthites from pegmatites: a comment 9:276
Lehmann G (1983) Optical absorption and electron spin resonance in blue and green natural beryl: a comment 9:278
Lehmann G, see Jakubith M (1981) 7:165–168
Lehmann G, see Kliem W (1979) 4:65–75
Lehmann G, see Maschmeyer D (1980) et al. 6:145–156
Lehmann G, see Maschmeyer D (1983) 10:84–88
Lehmann G, see Speit B (1982) 8:77–82
Levade C, see Fagot M (1981) et al. 7:253–259
Levien L, Weidner DJ, Prewitt CT (1979) Elasticity of diopside 4:105–113
Levillain C, Maurel P, Menil F (1981) Mössbauer studies of synthetic and natural micas on the polylithionite-siderophyllite join 7:71–76
Levillain C, Maurel P, Menil F (1982) Mössbauer studies of synthetic and natural micas on the polylithionite-siderophyllite join: reply 8:99–100
Levin AA, see Dikov YuP (1977) et al. 1:27–41
Liebau F, see Czank M (1980) 6:85–93
Liebermann RC, see Jackson I (1978) et al. 3:11–31
Litovchenko AS, see Matyash IV (1982) et al. 8:149–152
Litovchenko AS, see Matyash IV (1983) et al. 9:277
Litterst FJ, Amthauer G (1984) Electron delocalization in ilvaite, a reinterpretation of its ^{57}Fe Mössbauer spectrum 10:250–255
Liu L-g (1978) High pressure Ca_2SiO_4, the silicate K_2NiF_4-isotype with crystalchemical and geophysical implications 3:291–299
Liu L-g (1980) The high-pressure phase transformations of PbO_2: An in-situ X-ray diffraction study 6:187–196
Liu LG, see McCammon CA (1984) 10:106–113
Loeffler BM, see Parkin KM (1977) et al. 1:301–311
Loucks D, see Navrotsky A (1977) 1:109–127
Louisnathan SJ, Hill RJ, Gibbs GV (1977) Tetrahedral bond length variations in sulfates 1:53–69
Lutz HD, Schneider G, Kliche G (1983) Chalcides and pnictides of group VIII transition metals: far-infrared spectroscopic studies on compounds MX_2, MXY, and MY_2 with pyrite, marcasite, and arsenopyrite structure 9:109–114

M

Machavariani GV, see Nefedov VI (1982) et al. 8:193–196
Madsen HEL, see Boistelle R (1983) et al. 9:216–222
Maj S (1984) On the relationship between refractive index and density for SiO_2 polymorphs 10:133–136
Makeev VA, see Nefedov VI (1982) et al. 8:193–196

Mao H-K, see Yagi T (1978) et al. 3:97–110
Märk TD, see Bertel E (1983) 9:197–204
Marshall DB, McLaren AC (1977) Deformation mechanisms in experimentally deformed plagioclase feldspars 1:351–370
Martovitsky VP, see Orlov YuL (1982) et al. 8:105–111
Maschmeyer D, Lehmann G (1983) New hole centers in natural quartz 10:84–88
Maschmeyer D, Niemann K, Hake H, Lehmann G, Räuber A (1980) Two modified smoky quartz centers in natural citrine 6:145–156
Mashimo T, Nagayama K, Sawaoka A (1983) Shock compression of zirconia ZrO_2 and zircon $ZrSiO_4$ in the pressure range up to 150 GPa 9:237–247
Mashimo T, Nishii K, Sōma T, Sawaoka A (1980) Some physical properties of amorphous SiO_2 synthesized by shock compression of α quartz 5:367–377
Mashirov LG, see Teterin YuA (1981) et al. 7:151–158
Mashkovtsev RI, see Serebrennikov AI (1982) et al. 8:153–157
Mashkovtsev RI, see Stenina NG (1984) et al. 10:180–186
Mathieu JC, see Thierry P (1981) et al. 7:43–46
Matsui Y, see Ito E (1979) 4:265–273
Matsumoto T, see Sasaki S (1981) et al. 7:260–267
Matsuo M, see Miyake M (1981) et al. 7:88–90
Matyash IV, Bagmut NN, Litovchenko AS, Proshko VYa (1982) Electron paramagnetic resonance study of new paramagnetic centers in microcline-perthites from pegmatites 8:149–152
Matyash IV, Bagmut NN, Litovchenko AS, Proshko VYa (1983) Electron paramagnetic resonance study of new paramagnetic centers in microcline-perthites from pegmatites: a reply 9:277
Maurel P, see Levillain C (1981) et al. 7:71–76
Maurel P, see Levillain C (1982) et al. 8:99–100
Mazo RM (1982) On the theory of Al,Si ordering in albite: Comment 8:47
Mazo RM, see Hudson S (1983) 9:9–13
McCallister RH, see Aragón R (1982) 8:112–120
McCammon CA, Liu LG (1984) The effects of pressure and temperature on nonstoichiometric wüstite, Fe_xO: the iron-rich phase boundary 10:106–113
McConnell JDC (1978) *K*-space symmetry rules and their application to ordering behaviour in non-stoichiometric (metal-enriched) chalcopyrite 2:253–265
McGavin DG, Palmer RA, Tennant WC, Devine SD (1982) Use of ultrasonically modulated electron resonance to study S-state ions in mineral crystals: Mn^{2+}, Fe^{3+}, in tremolite 8:200–205
McIver JR, see Amthauer G (1979) et al. 4:235–244
McLaren AC, Cook RF, Hyde ST, Tobin RC (1983) The mechanisms of the formation and growth of water bubbles and associated dislocation loops in synthetic quartz 9:79–94
McLaren AC, Payling R (1980) The determination of hydrogen concentration in silicates using ion-beam spectrochemical analysis (IBSCA) 5:315–326
McLaren AC, Pitkethly DR (1982) The twinning microstructure and growth of amethyst quartz 8:128–135
McLaren AC, see Marshall DB (1977) 1:351–370
McLaren AC, see Moze O (1980) et al. 5:309–314
McLaren AC, see Scala CM (1978) et al. 3:33–44
McLaren AC, see Smith KL (1983) 10:69–76
McMillan P, Putnis A, Carpenter MA (1984) A Raman spectroscopic study of Al-Si ordering in synthetic magnesium cordierite 10:256–260
McMillan PF, see Wyncke B (1981) et al. 7:31–34
Meagher EP, Tossell JA, Gibbs GV (1979) A CNDO/2 molecular orbital study of the silica polymorphs quartz, cristobalite, and coesite 4:11–21
Méary A, Galland D, Chatagnon B, Diebolt J (1984) A study of Gd, Ce and Eu impurities in fluorite deposits by electron paramagnetic resonance and neutron activation analysis 10:173–179
Meier R, Ha T-K (1980) A theoretical study of the electronic structure of disiloxane $[(SiH_3)_2O]$ and its relation to silicates 6:37–46
Mellini M, Merlino S, Pasero M (1984) X-ray and HRTEM study of sursassite: crystal structure, stacking disorder, and sursassite-pumpellyite intergrowth 10:99–105
Melnikov IV, see Teterin YuA (1981) et al. 7:151–158
Menil F, see Levillain C (1981) et al. 7:71–76
Menil F, see Levillain C (1982) et al. 8:99–100
Merlino S, see Mellini M (1984) et al. 10:99–105
Michaut M, see Jaoul O (1979) et al. 5:15–19
Miehe G, Graetsch H, Flörke OW (1984) Crystal structure and growth fabric of length-fast chalcedony 10:197–199
Minato I, see Miyake M (1979) et al. 4:307–315
Mineeva RM (1978) Relationship between Mössbauer spectra and defect structure in biotites from electric field gradient calculations 2:267–277
Mirwald PW (1979) The electrical conductivity of calcite between 300 and 1200° C at a CO_2 pressure of 40 bars 4:291–297
Mirwald PW (1981) Thermal expansion of anhydrous Mg-cordierite between 25 and 950° C 7:268–270
Miura M, see Ishii K (1983) et al. 9:61–66
Miyake M, Iwai S (1981) Phase transition of potassium sulfate, K_2SO_4 (III); thermodynamical and phenomenological study 7:211–215
Miyake M, Matsuo M, Hata M, Iwai S-i (1981) Phase transition of potassium sulfate, K_2SO_4 (II); dielectric constant and electrical conductivity 7:88–90
Miyake M, Minato I, Iwai S-i (1979) Thermal phase transition of potassium sulfate, K_2SO_4. A high temperature polarizing light microscopic study 4:307–315
Morimoto N, see Kitamura M (1977) 1:199–212
Morimoto N, see Nakajima Y (1977) et al. 1:213–225
Morimoto N, see Nobugai K (1979) 4:361–371
Morimoto N, see Yasuda M (1983) et al. 9:192–186
Morlotti R, Ottonello G (1982) Solution of rare earth elements in silicate solid phases; Henry's law revisited in light of defect chemistry: garnet, clinopyroxene and plagioclase 8:87–97
Moukarika A, Coey JMD, Dang NV (1983) Magnetic order in crocidolite asbestos 9:269–275
Moukarika A, see Coey JMD (1981) et al. 7:141–148
Moze O, Hicks TJ, McLaren AC (1980) Determination of the hydrogen content of synthetic quartz by neutron polarization analysis 5:309–314
Müller WF (1977) Phase transitions and associated domains in hexacelsian ($BaAl_2Si_2O_8$) 1:71–82
Müller WF, see Kroll H (1980) 5:255–277
Müller WF, see Schäfer H (1983) et al. 9:248–252
Müller WF, see Schäfer H (1984) et al. 10:121–124
Müller WF, see Töpel-Schadt J (1982) 8:175–179
Murata H, see Ishii K (1983) et al. 9:61–66
Myers RH, see Schlenker JL (1977) et al. 1:243–255

N

Nagayama K, see Mashimo T (1983) et al. 9:237–247
Nagel S, see Hafner SS (1983) 9:19–22
Nagpaul KK, see Bal KD (1982) et al. 8:158–160
Nagpaul KK, see Sharma OP (1979) et al. 5:133–139
Nakajima Y, Morimoto N, Kitamura M (1977) The superstructure of plagioclase feldspars. Electron microscopic study of anorthite and labradorite 1:213–225
Nakajima Y, see Reeder RJ (1982) 8:29–35
Nakajima Y, see Wenk HR (1980) 6:169–186
Nakamura A, Schmalzried H (1983) On the nonstoichiometry and point defects of olivine 10:27–37

Nakazawa H, see Hirai H (1982) 8:25–28
Narbutt KI (1980) X-ray spectra of iron atoms in minerals 5:285–295
Navrotsky A, Loucks D (1977) Calculation of subsolidus phase relations in carbonates and pyroxenes 1:109–127
Navrotsky A (1977) Progress and new directions in high temperature calorimetry 2:89–104
Navrotsky A (1984) Interactions of cations on octahedral and tetrahedral sites in simple spinels: a comment 10:192–193
Navrotsky A, see Akaogi M (1984) 10:166–172
Nefedov VI, Zhavoronkov NM, Machavariani GV, Salyn YaV, Makeev VA, Zelenov VI (1982) The variation of silver content in native gold particles as revealed by ESCA 8:193–196
Nelen JA, see Shannon RD (1980) et al. 5:245–253
Nevzorov NB, see Teterin YuA (1981) et al. 7:151–158
Newnham RE, Kramer JJ, Schulze WA, Brindley GW (1977) Optical second harmonic signals from clay minerals 1:379–384
Newnham RE, see Laughner JW (1979) et al. 4:129–137
Newnham RE, see Laughner JW (1982) et al. 8:20–24
Newton MD, Gibbs GV (1980) *Ab initio* calculated geometries and charge distributions for H_4SiO_4 and $H_6Si_2O_7$ compared with experimental values for silicates and siloxanes 6:221–246
Newton MD, O'Keeffe M, Gibbs GV (1980) Ab initio calcuiation of interatomic force constants in $H_6Si_2O_7$ and the bulk modulus of α quartz and α cristobalite 6:305–312
Newton MD, O'Keeffe M, Gibbs GV (1981) *Erratum:* Ab initio calculation of interatomic force constants in $H_6Si_2O_7$ and the bulk modulus of α quartz and α cristobalite 7:194
Niemann K, see Maschmeyer D (1980) et al. 6:145–156
Nikolskaya LV, Terekhova VM, Samoilovich MI (1978) On the origin of natural sapphire color 3:213–224
Nishii K, see Mashimo T (1980) et al. 5:367–377
Nissen H-U, see Cartlidge S (1983) et al. 9:139–145
Nissen H-U, see Erbudak M (1982) et al. 8:197–199
Nissen H-U, see Hutchison JL (1979) et al. 4:275–280
Nissen H-U, see Ylä-Jääski J (1983) 10:47–54
Nizamutdinov NM, see Bulka GR (1980) et al. 6:283–293
Nobugai K, Morimoto N (1979) Formation mechanism of pigeonite lamellae in Skaergaard augite 4:361–371
Nolet DA, Burns RG (1979) Ilvaite: a study of temperature dependent electron delocalization by the Mössbauer effect 4:221–234
Nord AG, Stefanidis T (1983) Crystallographic studies of some olivine-related (Ni, $Mg)_3(PO_4)_2$ solid solutions 10:10–15
Nord GL Jr (1980) The composition, structure, and stability of Guinier-Preston zones in lunar and terrestrial orthopyroxene 6:109–128
Nover G, see Will G (1979) 4:199–208
Nover G, see Will G (1980) 6:247–248
Novikov GV, Egorov VK, Popov VI, Sipavina LV (1977) Kinetics and mechanism of transformations in iron-rich pyrrhotites and in troilite-pyrrhotite metastable assemblages 1:1–14
Nuding W, see Will G (1980) et al. 6:157–167

O

O'Donovan JB, O'Reilly W (1980) The temperature dependent cation distribution in titanomagnetites. An experimental test 5:235–243
Ohashi Y (1984) Polysynthetically-twinned structures of enstatite and wollastonite 10:217–229
Okajima S, Suzuki I, Seya K, Sumino Y (1978) Thermal expansion of single-crystal tephroite 3:111–115
O'Keeffe M, Hyde BG, Bovin J-O (1979) Contribution to the crystal chemistry of orthorhombic perovskites: $MgSiO_3$ and $NaMgF_3$ 4:299–305
O'Keeffe M, see Newton MD (1980) et al. 6:305–312
O'Keeffe M, see Newton MD (1981) et al. 7:194
Olsen A (1979) Coherent elastic energies of exsolution boundaries in peristerite and Böggild intergrowths 4:115–127
Olsen A, see Tibballs JE (1977) 1:313–324
O'Neil JR (1977) Stable isotopes in mineralogy 2:105–123
Openshaw RE, Hemingway BS, Robie RA, Krupka KM (1979) A room-temperature phase transition in maximum microcline: heat capacity measurements 5:83–93
Openshaw RE, Henderson CMB, Brown WL (1979) A room-temperature phase transition in maximum microcline. Unit cell parameters and thermal expansion 5:95–104
Openshaw RE, see Wyncke B (1981) et al. 7:31–34
O'Reilly W, see O'Donovan JB (1980) 5:235–243
Orlov YuL, Bulienkov NA, Martovitsky VP (1982) A study of the internal structure of variety III diamonds by X-ray section topography 8:105–111
Osborne MD, Fleet ME (1984) Mössbauer investigation of niningerite solid solutions (Mg,Fe)S 10:245–249
Ostrovsky IA, Rizhenko BN (1978) Fugacities of gases and some mineralogical reactions at very high pressures and temperatures (an extrapolation) 2:297–303
Ostrovsky IA (1979) The thermodynamics of substances at very high pressures and temperatures and some mineral reactions in the earth's mantle 5:105–118
Ottonello G, see Morlotti R (1982) 8:87–97
Ozima M, see Bass JD (1984) et al. 10:261–272
Özkan H, Jamieson JC (1978) Pressure dependence of the elastic constants of nonmetamict zircon 2:215–224

P

Palmer RA, see McGavin DG (1982) et al. 8:200–205
Pandey D, Baronnet A, Krishna P (1982) Influence of stacking faults on the spiral growth of polytype structures in mica 8:268–278
Paquet J, see Trépied L (1980) et al. 5:201–218
Parker SC, see Price GD (1984) 10:209–216
Parkin KM, Loeffler BM, Burns RG (1977) Mössbauer spectra of kyanite, aquamarine, and cordierite showing intervalence charge transfer 1:301–311
Parkin KM, see Goldman DS (1978) et al. 3:225–235
Parsons I (1978) Alkali-feldspars: which solvus? 2:199–213
Parsons I, see Brown WL (1983) 10:55–61
Pasero M, see Mellini M (1984) et al. 10:99–105
Payling R, see McLaren AC (1980) 5:315–326
Pelsmaekers J, see Vochten R (1983) 9:23–29
Perchuk LL, Aranovich LYa (1979) Thermodynamics of minerals of variable composition: andradite-grossularite and pistacite-clinozoisite solid solutions 5:1–14
Perchuk LL, Aranovich LYa (1980) *Erratum:* Thermodynamics of minerals of variable composition: andradite-grossularite and pistacite-clinozoisite solid solutions 6:249
Pitkethly DR, see McLaren AC (1982) 8:128–135
Piu P, see Alberti A (1983) et al. 9:189–191
Pollak H, Quartier R, Bruyneel W (1981) Electron relaxation in deerite 7:10–14
Popov VI, see Novikov GV (1977) et al. 1:1–14
Prandl W, see Frey F (1977) et al. 1:227–231
Prewitt CT, see Levien L (1979) et al. 4:105–113
Price DC, see Vance ER (1984) 10:200–208
Price GD, Parker SC (1984) Computer simulations of the structural and physical properties of the olivine and spinel polymorphs of Mg_2SiO_4 10:209–216
Price GD, Price SL, Burdett JK (1982) The factors influencing cation site-preferences in spinels. A new Mendelyevian approach 8:69–76
Price GD (1983) Polytypism and the factors determining the stability of spinelloid structures 10:77–83

Price GD, see Angel RJ (1984) et al. 10:236–243
Price SL, see Price GD (1982) et al. 8:69–76
Prodan A, Bakker M, Versteegh M, Hyde BG (1982) A microscopic study of synthetic PbS-rich homologues nPbS-mBi_2S_3 8:188–192
Proshko VYa, see Matyash IV (1982) et al. 8:149–152
Proshko VYa, see Matyash IV (1983) et al. 9:277
Putnis A (1977) Electron microscope study of phase transformations in cubanite 1:335–349
Putnis A (1978) The mechanism of exsolution of hematite from iron-bearing rutile 3:183–197
Putnis A, see Angel RJ (1984) et al. 10:236–243
Putnis A, see Beran A (1983) 9:57–60
Putnis A, see McMillan P (1984) et al. 10:256–260

Q

Quartier R, see Pollak H (1981) et al. 7:10–14

R

Rager H, Schmidt PC (1981) Electric field gradient calculation in forsterite, Mg_2SiO_4 7:169–176
Rager H (1977) Electron spin resonance of trivalent chromium in forsterite, Mg_2SiO_4 1:371–378
Rager H, see Bershov LV (1983) et al. 9:95–101
Räuber A, see Maschmeyer D (1980) et al. 6:145–156
Reeder RJ, Nakajima Y (1982) The nature of ordering and ordering defects in dolomite 8:29–35
Regnard JR, see Guillen R (1982) et al. 8:83–86
Regnard JR, see Thierry P (1981) et al. 7:43–46
Remaut G, see Vochten R (1979) et al. 4:281–290
Ribbe PH, see Dodd CG (1978) 3:145–162
Ricoult DL, Kohlstedt DL (1983) Structural width of low-angle grain boundaries in olivine 9:133–138
Ricoult D, see Jaoul O (1979) et al. 5:15–19
Ried H, Korekawa M (1978) Twinning and exsolution in an antiperthite 3:263–270
Ried H, Korekawa M (1980) Transmission electron microscopy of synthetic and natural Fünferketten und Siebenerketten pyroxenoids 5:351–365
Ried H (1984) Intergrowth of pyroxene and pyroxenoid; chain periodicity faults in pyroxene 10:230–235
Rinaldi R, see Alberti A (1978) et al. 2:365–375
Ringwood AE, see Jackson I (1978) et al. 3:11–31
Rizhenko BN, see Ostrovsky IA (1978) 2:297–303
Robie RA, see Openshaw RE (1979) et al. 5:83–93
Roermund HLM van, see Boland JN (1983) 9:30–37
Romashenko YuN, see Dikov YuP (1977) et al. 1:27–41
Rossman GR, see Carson DG (1982) et al. 8:14–19
Rossman GR, see Goldman DS (1978) et al. 3:225–235
Rossman GR, see Goldman DS (1979) 4:43–53
Rossman GR, see Goto T (1979) et al. 4:253–263
Rossman GR, see Waychunas GA (1983) 9:212–215
Rozenson I, see Heller-Kallai L (1981) 7:223–238
Runciman WA, see Douglas IN (1977) 1:129–136
Ryabov ID, Bershov LV, Speranskiy AV, Ganeev IG (1983) Electron paramagnetic resonance of PO_3^{2-} and SO_3^- radicals in anhydrite, celestite and barite: the hyperfine structure and dynamics 10:21–26

S

Saini HS, see Sharma OP (1979) et al. 5:133–139
Salje E, see Iishi K (1979) et al. 4:173–188
Salyn YaV, see Nefedov VI (1982) et al. 8:193–196
Samoilovich MI, see Nikolskaya LV (1978) et al. 3:213–224
Sanz J, González-Carreño T, Gancedo R (1983) On dehydroxylation mechanisms of a biotite in vacuo and in oxygen 9:14–18
Sasaki S, Matsumoto T, Sawada C (1981) The influence of multiple diffraction on the space group determination of orthopyroxene, spodumene, low omphacite and pigeonite 7:260–267
Sato Y, Ito E, Akimoto S-i (1977) Hydrostatic compression of ilmenite phase of $ZnSiO_3$ and $MgGeO_3$ 2:171–176
Savkevich SS (1981) Physical methods used to determine the geological origin of amber and other fossil resins; some critical remarks 7:1–4
Sawada C, see Sasaki S (1981) et al. 7:260–267
Sawaoka A, see Ishikawa M (1982) et al. 8:247–250
Sawaoka A, see Mashimo T (1980) et al. 5:367–377
Sawaoka A, see Mashimo T (1983) et al. 9:237–247
Scala CM, Hutton DR, McLaren AC (1978) NMR and EPR studies of the chemically intermediate plagioclase feldspars 3:33–44
Scandale E, Gandais M, Willaime C (1983) Transmission electron microscopic study of experimentally deformed K-feldspar single crystals The (010)[001], $(001)\frac{1}{2}[\bar{1}10]$, $(110)\frac{1}{2}[\bar{1}12]$ and $(1\bar{1}1)\frac{1}{2}[110]$ slip systems 9:182–187
Schäfer H, Müller WF, Hornemann U (1983) Shock effects in $MgAl_2O_4$-spinel 9:248–252
Schäfer H, Müller WF, Hornemann U (1984) Shock effects in melilite 10:121–124
Scheetz BE, see Burgner RP (1978) et al. 2:317–324
Scherbakova MYa, see Serebrennikov AI (1982) et al. 8:153–157
Schlenker JL, Gibbs GV, Hill EG, Crews SS, Myers RH (1977) Thermal expansion coefficients for indialite, emerald, and beryl 1:243–255
Schliestedt M, see Amthauer G (1980) et al. 6:19–30
Schmalzried H (1978) Reactivity and point defects of double oxides with emphasis on simple silicates 2:279–294
Schmalzried H, see Nakamura A (1983) 10:27–37
Schmidbauer E (1983) Magnetization of Fe–Cr–Ti spinels 9:124–126
Schmidt MC, see Aragonês J (1982) et al. 8:206–211
Schmidt PC, see Rager H (1981) 7:169–176
Schneider G, see Lutz HD (1983) et al. 9:109–114
Schneider H, Hornemann U (1977) The disproportionation of andalusite (Al_2SiO_5) to Al_2O_3 and SiO_2 under shock compression 1:257–264
Schneider H, Vasudevan R, Hornemann U (1984) Deformation of experimentally shock-loaded quartz powders: X-ray line broadening studies 10:142–147
Schneider H (1979) Deformation of shock-loaded andalusite studied with X-ray diffraction techniques 4:245–252
Schreiber E, see Sondergeld CH (1979) 5:21–31
Schulze WA, see Newnham RE (1977) et al. 1:379–384
Seifert F (1977) Compositional dependence of the hyperfine interaction of ^{57}Fe in anthophyllite 1:43–52
Seifert F, see Abu-Eid RM (1978) et al. 3:271–289
Seifert K-F, see Will G (1979) et al. 4:189–197
Senderov EE, Vasiliev NS, Yudin EI (1982) The order-disorder transition in gallium analogue of albite, $NaGaSi_3O_8$ 8:51–54
Senderov EE (1980) On the theory of Al, Si ordering in albite 6:251–268
Senderov EE (1981) *Erratum*: On the theory Al,Si ordering in albite 7:149
Serebrennikov AI, Valter AA, Mashkovtsev RI, Scherbakova MYa (1982) The investigation of defects in shock-metamorphosed quartz 8:153–157
Seya K, see Okajima S (1978) et al. 3:111–115
Seya K, see Suzuki I (1981) et al. 7:60–63
Shannon RD, Gier TE, Foris CM, Nelen JA, Appleman DE (1980) Crystal data for some sodium rare earth silicates 5:245–253
Shannon RD (1979) Ionic conductivity in sodium magnesium silicates 4:139–148

Sharma OP, Bal KD, Saini HS, Nagpaul KK (1979) Fission track annealing characteristics and dating of vermiculite 5:133–139
Shchepkin VD, Vainshtein DI, Dautov RA, Vinokurov VM (1980) Double nuclear magnetic resonance and crystal chemistry at the lattice positions of diamagnetic atoms, both structural, and foreign 6:269–281
Shcherbakova MYa, see Stenina NG (1984) et al. 10:180–186
Shinno I (1981) A Mössbauer study of ferric iron in olivine 7:91–95
Shiro Y, see Ishii K (1983) et al. 9:61–66
Simons B, see Czank M (1983) 9:229–234
Sipavina LV, see Novikov GV (1977) et al. 1:1–14
Smith BM, see Yund RA (1981) et al. 7:185–189
Smith DJ, see Barber DJ (1983) et al. 9:102–108
Smith G, Hålenius U, Langer K (1982) Low temperature spectral studies of Mn^{3+}-bearing andalusite and epidote type minerals in the range 30000 – 5000 cm^{-1} 8:136–142
Smith G (1978) A reassessment of the role of iron in the 5,000–30,000 cm^{-1} region of the electronic absorption spectra of tourmaline 3:343–373
Smith G (1978) Evidence for absorption by exchange-coupled $Fe^{2+} - Fe^{3+}$ pairs in the near infra-red spectra of minerals 3:375–383
Smith G, see Langer K (1982) et al. 8:143–145
Smith KL, McLaren AC (1983) TEM investigation of a microcline from a nepheline syenite 10:69–76
Sōma T, see Mashimo T (1980) et al. 5:367–377
Sondergeld CH, Schreiber E (1979) An examination of the elasticity of hot-pressed MgO 5:21–31
Soubeyroux JL, see Coey JMD (1981) et al. 7:141–148
Speit B, Lehmann G (1982) Radiation defects in feldspars 8:77–82
Speranskiy AV, see Ryabov ID (1983) et al. 10:21–26
Stacey FD, see Falzone AJ (1982) 8:212–217
Stefanidis T, see Nord AG (1983) 10:10–15
Stenina NG, Bazarov LSh, Shcherbakova MYa, Mashkovtsev RI (1984) Structural state and diffusion of impurities in natural quartz of different genesis 10:180–186
Streltsov VA, see Teterin YuA (1981) et al. 7:151–158
Suglobov DN, see Teterin YuA (1981) et al. 7:151–158
Sumino Y, Anderson OL, Suzuki I (1983) Temperature coefficients of elastic constants of single crystal MgO between 80 and 1,300 K 9:38–47
Sumino Y, see Okajima S (1978) et al. 3:111–115
Sumino Y, see Suzuki I (1981) et al. 7:60–63
Sumino Y, see Suzuki I (1983) et al. 10:38–46
Sunagawa I, Takahashi J, Aonuma K, Takahashi M (1979) Growth of quartz crystals twinned after Japan law 5:53–63
Sunagawa I, see Kouchi A (1983) et al. 9:167–172
Sunagawa I, see Tomura S (1979) et al. 5:65–81
Sunagawa I, see Yada K (1981) et al. 7:47–52
Sunagawa I, see Yasuda T (1982) 8:121–127
Sung C-M, Burns RG (1978) Crystal structural features of the olivine → spinel transition 2:177–197
Sung C-M, see Burns RG (1978) 2:349–364
Surikov VV (1980) A quantum-chemical model of calculating the bond energy of crystals 5:297–307
Suzuki I, Anderson OL, Sumino Y (1983) Elastic properties of a single-crystal forsterite Mg_2SiO_4, up to 1,200 K 10:38–46
Suzuki I, Kumazawa M (1980) Anomalous thermal expansion in spinel $MgAl_2O_4$. A possibility for a second order phase transition? 5:279–284
Suzuki I, Seya K, Takei H, Sumino Y (1981) Thermal expansion of fayalite, Fe_2SiO_4 7:60–63
Suzuki I, see Okajima S (1978) et al. 3:111–115
Suzuki I, see Sumino Y (1983) et al. 9:38–47
Syono Y, Takei H, Goto T, Ito A (1981) Single crystal X-ray and Mössbauer study of shocked ilmenite to 80 GPa 7:82–87
Syono Y, see Takei H (1983) et al. 10:16–20

T

Tagai T, Korekawa M (1981) Crystallographic investigation of the Huttenlocher exsolution at high temperature 7:77–81
Takahashi J, see Sunagawa I (1979) et al. 5:53–63
Takahashi M, see Sunagawa I (1979) et al. 5:53–63
Takei H, Syono Y, Goto T, Kikuchi M (1983) Shock-induced phase change in $BaZnGeO_4$ crystals 10:16–20
Takei H, see Kouchi A (1983) et al. 9:167–172
Takei H, see Suzuki I (1981) et al. 7:60–63
Takei H, see Syono Y (1981) et al. 7:82–87
Takéuchi Y, see Yamanaka T (1979) 4:149–159
Tang Kai A, Annersten H, Ericsson T (1980) Molecular orbital (MSXα) calculations of *s*-electron densities of tetrahedrally coordinated ferric iron: comparison with experimental isomer shifts 5:343–349
Tang Kai A, Larsson S, Hålenius U (1980) The electronic structure and absorption spectrum of MnO_6^{9-} octahedra in manganian andalusite 6:77–84
Tanji T, see Yada K (1981) et al. 7:47–52
Tarte P, Cahay R, Garcia A (1979) Infrared spectrum and structural role titanium in synthetic Ti-garnets 4:55–63
Tarte P, see Gabelica-Robert M (1981) 7:26–30
Taylor D, Henderson CMB (1978) A computer model for the cubic sodalite structure 2:325–336
Taylor D, see Dempsey MJ (1980) 6:197–208
Taylor D, see Henderson CMB (1978) 2:337–347
Tejada J, see Aragonés J (1982) et al. 8:206–211
Tennant WC, see McGavin DG (1982) et al. 8:200–205
Terekhova VM, see Nikolskaya LV (1978) et al. 3:213–224
Teterin YuA, Kulakov VM, Bayev AS, Nevzorov NB, Melnikov IV, Streltsov VA, Mashirov LG, Suglobov DN, Zelenkov AG (1981) A study of synthetic and natural uranium oxides by X-ray photoelectron spectroscopy 7:151–158
Thierry P, Chatillon-Colinet C, Mathieu JC, Regnard JR, Amossé J (1981) Thermodynamic properties of the forsterite-fayalite ($Mg_2SiO_4 - Fe_2SiO_4$) solid solution. Determination of heat of formation 7:43–46
Thomassin JH, Goni J, Baillif P, Touray JC, Jaurand MC (1977) An XPS study of the dissolution kinetics of chrysotile in 0.1 N oxalic acid at different temperatures 1:385–398
Tibballs JE, Olsen A (1977) An electron microscopic study of some twinning and exsolution textures in microcline amazonites 1:313–324
Tiller WA (1977) On the cross-pollenation of crystallization ideas between metallurgy and geology 2:125–151
Tobin RC, see McLaren AC (1983) et al. 9:79–94
Tomura S, Kitamura M, Sunagawa I (1979) Surface microtopography of metamorphic white micas 5:65–81
Töpel-Schadt J, Müller WF (1982) Transmission electron microscopy on meteoritic troilite 8:175–179
Tossel JA (1978) Theoretical studies of the electronic structure of copper in tetrahedral and triangular coordination with sulfur 2:225–236
Tossell JA, Gibbs GV (1977) Molecular orbital studies of geometries and spectra of minerals and inorganic compounds 2:21–57
Tossell JA, Vaughan DJ, Burdett JK (1981) Pyrite, marcasite, and arsenopyrite type minerals: crystal chemical and structural principles 7:177–184
Tossell JA (1981) Structures and cohesive properties of hydroxides and fluorides calculated using the modified electron gas ionic model 7:15–19

Tossell JA (1983) A qualitative molecular orbital study of the stability of polyanions in mineral structures 9:115–123
Tossell JA (1984) Correlation of ^{29}Si nuclear magnetic resonance chemical shifts in silicates with orbital energy differences obtained from X-ray spectra 10:137–141
Tossell JA, see Gupta A (1981) 7:159–164
Tossell JA, see Meagher EP (1979) et al. 4:11–21
Tossell JA, see Vaughan DJ (1983) 9:253–262
Touray JC, see Thomassin JH (1977) et al. 1:385–398
Trépied L, Doukhan JC, Paquet J (1980) Subgrain boundaries in quartz. Theoretical analysis and microscopic observations 5:201–218
Tsong IST, see Clark GJ (1978) et al. 3:199–211
Tullis J, see Yund RA (1981) et al. 7:185–189

U

Ungvári I, see Jónás K (1980) et al. 6:55–60
Urusov VS (1983) Interaction of cations on octahedral and tetrahedral sites in simple spinels 9:1–5
Urusov VS (1984) Interaction of cations on octahedral and tetrahedral sites in simple spinels: a reply 10:194–195

V

Vainshtein DI, see Shchepkin VD (1980) et al. 6:269–281
Valter AA, see Serebrennikov AI (1982) et al. 8:153–157
Vance ER, Price DC (1984) Heating and radiation effects on optical and Mössbauer spectra of Fe-bearing cordierites 10:200–208
Vance ER, see Edgar A (1977) 1:165–178
Vance ER, see Hsu FH (1980) 6:47–53
Van-Duysen JC, Doukhan JC (1984) Room temperature microplasticity of α spodumene $LiAlSi_2O_6$ 10:125–132
Vasiliev NS, see Senderov EE (1982) et al. 8:51–54
Vassányl I, see Jónás K (1980) et al. 6:55–60
Vasudevan R, see Schneider H (1984) et al. 10:142–147
Vaughan DJ, Tossell JA (1983) Electronic structures of sulfide minerals – theory and experiment 9:253–262
Vaughan DJ, see Tossell JA (1981) et al. 7:177–184
Vaughan MT, Bass JD (1983) Single crystal elastic properties of protoenstatite: a comparison with orthoenstatite 10:62–68
Vaughan MT, Weidner DJ (1978) The relationship of elasticity and crystal structure in andalusite and sillimanite 3:133–144
Vaughan PJ, Kohlstedt DL (1981) Cation stacking faults in magnesium germanate spinel 7:241–245
Vaughan RW, see Carson DG (1982) et al. 8:14–19
Velde B, Besson JM (1981) Raman spectra of analcime under pressure 7:96–99
Velde B (1980) Ordering in synthetic aluminous serpentines; infrared spectra and cell dimensions 6:209–220
Velde B, see Couty R (1983) et al. 10:89–93
Versteegh M, see Prodan A (1982) et al. 8:188–192
Vezzalini G, see Alberti A (1978) et al. 2:365–375
Vezzalini G, see Alberti A (1983) et al. 9:189–191
Viljoen EA, see Amthauer G (1979) et al. 4:235–244
Vinokurov VM, see Bulka GR (1980) et al. 6:283–293
Vinokurov VM, see Shchepkin VD (1980) et al. 6:269–281
Vochten R, Acker P van, Grave E de (1983) Mössbauer, electrokinetic and refined lattice parameters study of synthetic manganoan lipscombite 9:263–268
Vochten R, Deliens M (1980) Transformation of curite into metaautunite paragenesis and electrokinetic properties 6:129–143
Vochten R, Grave E de (1981) Crystallographic, Mössbauer and electrokinetic study of synthetic lipscombite 7:197–203
Vochten R, Huybrechts W, Remaut G, Deliens M (1979) Formation of meta-torbernite starting from curite: crystallographic data and electrokinetic properties 4:281–290
Vochten R, Pelsmaekers J (1983) Synthesis, solubility, electrokinetic properties and refined crystallographic data of sabugalite 9:23–29
Voigt R, see Will G (1979) et al. 4:189–197

W

Walmsley JC, see Lang AR (1983) 9:6–8
Wang HF (1978) Elastic constant systematics 3:251–261
Watanabe S, see Blak AR (1982) et al. 8:161–166
Watanabe S, see Blak AR (1983) et al. 9:279–280
Waychunas GA, Apted MJ, Brown GE Jr (1983) X-ray K-edge absorption spectra of Fe minerals and model compounds: near-edge structure 10:1–9
Waychunas GA, Rossman GR (1983) Spectroscopic standard for tetrahedrally coordinated ferric iron: γ $LiAlO_2:Fe^{3+}$ 9:212–215
Wegner MW, Christie JM (1983) Chemical etching of deformation sub-structures in quartz 9:67–78
Wegner MW, see Kirby SH (1978) 3:309–330
Weibel M, see Wüthrich A (1981) 7:53–54
Weidner DJ, see Bass JD (1984) et al. 10:261–272
Weidner DJ, see Levien L (1979) et al. 4:105–113
Weidner DJ, see Vaughan MT (1978) 3:133–144
Weil JA (1984) A review of electron spin spectroscopy and its application to the study of paramagnetic defects in crystalline quartz 10:149–165
Wenk HR, Nakajima Y (1980) Structure, formation, and decomposition of APB's in calcic plagioclase 6:169–186
Wenk H-R, see Barber DJ (1979) 5:141–165
Wenk HR, see Barber DJ (1981) et al. 7:271–286
Werneke Ch, see Iishi K (1979) et al. 4:173–188
Wessicken R, see Cartlidge S (1983) et al. 9:139–145
Wessicken R, see Hutchison JL (1979) et al. 4:275–280
White CW, see Clark GJ (1978) et al. 3:199–211
White S, see Ball A (1978) 3:163–172
White TJ, Hyde BG (1982) Electron microscope study of the humite minerals: I. Mg-rich specimens 8:55–63
White TJ, Hyde BG (1982) Electron microscope study of the humite minerals: II. Mn-rich specimens 8:167–174
White WB, see Burgner RP (1978) et al. 2:317–324
Whittaker EJW (1979) Clustering of cations in amphiboles 4:1–10
Will G, Cemič L, Hinze E, Seifert K-F, Voigt R (1979) Electrical conductivity measurements on olivines and pyroxenes under defined thermodynamic activities as a function of temperature and pressure 4:189–197
Will G, Hinze E, Nuding W (1980) The compressibility of FeO measured by energy dispersive X-ray diffraction in a diamond anvil squeezer up to 200 kbar 6:157–167
Will G, Nover G (1979) Influence of oxygen partial pressure on the Mg/Fe distribution in olivines 4:199–208
Will G, Nover G (1980) *Erratum:* Influence of oxygen partial pressure on the Mg/Fe distribution in olivines 6:247–248
Will G, see Cemič L (1980) et al. 6:95–107
Willaime C, see Scandale E (1983) et al. 9:182–187
Wilson CJL, see Bell IA (1977) 2:153–169
Woirgard J, see Gaboriaud RJ (1981) et al. 7:100–104
Wüthrich A, Weibel M (1981) Optical theory of asterism 7:53–54
Wyncke B, McMillan PF, Brown WL, Openshaw RE, Bréhat F (1981) A room-temperature phase transition in maximum microcline. Absorption in the far infrared (10–200 cm^{-1}) in the temperature range 110–300 K 7:31–34

Y

Yada K, Tanji T, Sunagawa I (1981) Application of lattice imagery to radiation damage investigation in natural zircon 7:47–52

Yagi T, Mao H-K, Bell PM (1978) Structure and crystal chemistry of perovskite-type $MgSiO_3$ 3:97–110
Yamanaka T, Takéuchi Y (1979) Mössbauer spectra and magnetic features of ilvaites 4:149–159
Yamanaka T, see Ishii M (1982) et al. 8:64–68
Yamaoka S, see Fukunaga O (1979) 5:167–177
Yasuda M, Kitamura M, Morimoto N (1983) Electron microscopy of clinoenstatite from a boninite and a chondrite 9:192–196
Yasuda T, Sunagawa I (1982) X-ray topographic study of quartz crystals twinned according to Japan twin law 8:121–127
Yelon WB, see Frey F (1977) et al. 1:227–231
Ylä-Jääski J, Nissen H-U (1983) Investigation of superstructures in mullite by high resolution electron microscopy and electron diffraction 10:47–54
Yudin EI, see Senderov EE (1982) et al. 8:51–54
Yund RA, Smith BM, Tullis J (1981) Dislocation-assisted diffusion of oxygen in albite 7:185–189

Z

Zarka A, see Authier A (1977) 1:15–26
Zelenkov AG, see Teterin YuA (1981) et al. 7:151–158
Zelenov VI, see Nefedov VI (1982) et al. 8:193–196
Zhavoronkov NM, see Nefedov VI (1982) et al. 8:193–196

Abstracts of Papers held at the IMA Symposium Physics of Minerals, Novosibirsk, USSR, 1978 3:55–95 (1978), 301–307 (1978) 4:101–103 (1979)
International Mineralogical Association (IMA) Statutes 7:241–244

Collective Subject Index, Volumes 1–10 (1977–1984)

All mineral names occurring in titles, subtitles and abstracts are indexed. Chemical formulae are according to M. Fleischer, Glossary of Mineral Species, 1980 (in some cases simplified) or as given by the author. The numbers refer to the title page. Mineral names not listed in the index of M. Fleischer are marked with an asterisk (*).

A

absorption optics cf. optical absorption spectra
acmite $NaFeSi_2O_6$ 1:273, 286
acoustic emission
  quartz 4:129
actinolite $Ca_2(Mg,Fe)_5 \cdot Si_8O_{22}(OH)_2$ 3:84
alamosite $PbGeO_3$ 3:83
albite $NaAlSi_3O_8$ 1:199, 213, 3:70, 77, 78, 304, 305, 4:83, 102, 5:83, 6:21, 251, 7:64, 149, 185, 8:47
  analbite 3:77, 4:102, 5:255
  gallium albite 8:51
  monalbite 4:102, 5:255
alkali feldspars $(K,Na)AlSi_3O_8$ 2:199, 3:57, 78, 303, 305, 4:83
  aluminium-silicon ordering 9:9
  antiperthite 3:263
  deformation 9:182
  diagonal association 10:69
  domain structure 10:69
  electron microscopy 9:182
  electron paramagnetic resonance 9:276, 277
  exsolution kinetics 9:9, 10:55
  heterogeneous, homogeneous nucleation 10:55
  intracrystalline boundaries 10:55
  microcline 7:31, 8:149
  Monte Carlo simulation 9:9
  orthoclase 3:305
  perthites 9:9, 276, 277, 10:55
  sanidine 6:61
  slip system 9:182
alkaline earth metals cf. oxides
almandine $Fe_3Al_2Si_3O_{12}$ 3:56
alpha particles
  monazite 7:130
aluminophosphate 3:62
aluminosilicates 2:325, 337, 365, 3:59, 62, 64, 67, 133
  cf. andalusite, kyanite, mullite, sillimanite
alunite group
  jarosite type 6:327
amazonite (microcline) $KAlSi_3O_8$ 1:313
*amber 7:1, 8:146
amesite $Mg_2Al(SiAl)O_5(OH)_4$ 3:69
amethyst SiO_2 3:92, 8:128
aminosilicates 7:204
ammonium 1:233
amorphous silica 5:367
amphibole group 1:137, 160, 3:84, 302, 4:1
  actinolite 3:84
  anthophyllite 1:43
  arfvedsonite 5:219
  crocidolite 9:269
  gedrite 1:43
  nephrite 4:275
  riebeckite 5:219, 9:115
  tremolite 3:246, 4:275
analcime $NaAlSi_2O_6 \cdot H_2O$ 7:96
analysis (ESCA) cf. X-ray spectra
andalusite Al_2SiO_5 1:257, 3:59, 133, 4:101, 173, 245, 6:77, 8:136
andradite $Ca_3Fe_2Si_3O_{12}$ 1:399, 3:56, 4:60, 5:1
anhydrite $CaSO_4$ 4:77, 341, 10:21
anorthite $CaAl_2Si_2O_8$ 1:199, 213, 214, 227, 3:77, 304, 5:119, 255, 7:64
anthophyllite $(Mg,Fe)_7 \cdot Si_8O_{22}(OH)_2$ 1:43
antiphase boundaries (ABP)
  pigeonite 2:237
  plagioclase 6:169
antiphase domains 3:70
  anorthite-type 5:255
  carbonate 5:141
  hexacelsian 1:71
  pyroxene 5:119
antiperthite 3:263
apatite group
  apatite 3:60, 84, 7:35
  carbonate-hydroxylapatite 6:55
  chlorapatite 3:60
  fission track annealing 9:197
  fluorapatite 3:60, 7:35
  in diamond coat 9:6
  infrared absorption 6:55
aquamarine (beryl) $Be_3Al_2Si_6O_{18}$ 1:301, 3:225
arcanite K_2SO_4 7:88
arfvedsonite $(Na,Ca)_2 \cdot (Mg,Fe,Al,Si)_{13}O_{22}(OH)_2$ 5:219
arsenate 1:91
arsenopyrite FeAsS 7:177, 9:109, 253
asterism 7:53
astrakhanite $Na_2Mg(SO_4) \cdot 4H_2O$ 3:83
  zinc astrakhanite $Na_2Zn(SO_4)_2 \cdot 4(H_{1.06}D_{0.94})O$ 3:84
atomic bond cf. chemical bond
atomic charge of
  niobium 1:325
  zirconium 1:325
augite $(Ca,Mg,Fe,Al)_2(Si,Al)_2O_6$
  cf. pyroxene group
autunite group
  autunite $(Ca(UO_2)_2(PO_4)_2 \cdot 10–12H_2O$ 6:129, 9:23
  hydrogen autunite 6:129
  sabugalite $HAl(UO_2)_4(PO_4)_4 \cdot 16H_2O$ 9:23
  torbernite $Cu(UO_2)_2(PO_4)_2 \cdot 8–12H_2O$ 6:129

B

babingtonite $Ca_2Fe_2Si_5O_{14}OH$ 5:351
baddeleyite ZrO_2 9:237
barite $BaSO_4$ 10:21
barium fluorobromide BaFBr 7:135
barrerite $Na_{16}Al_{16}Si_{56}O_{144} \cdot 52H_2O$ 2:365, 9:189
$BaZnGeO_4$
  shock induced phase change 10:16
beidellite $(Na,Ca/2)_{0.33}Al_2 \cdot (Si,Al)_4O_{10}(OH)_2 \cdot nH_2O$ 3:75
berthierine $(Fe,Mg)_{2-3} \cdot (Si,Al)_2O_5(OH)_4$ 7:141
beryl $Be_3Al_2Si_6O_{18}$ 1:165, 243, 301, 3:82, 87, 225, 6:47, 8:161
beryllosilicate 3:62
biotite $K(Mg,Fe)_3(Al,Fe)Si_3 \cdot O_{10}(OH)_2$ cf. mica group
bond, bond angle cf. chemical bond
bond distances
  fluorides 7:15
  hydroxides 7:15
  Si–O 10:273
bond energy 5:285, 297
  forsterite 7:20
borates 2:59, 7:159
Borralha deposit 3:331
Brillouin scattering 3:133, 4:105, 10:261
brucite $Mg(OH)_2$ 3:79
  related structures 10:187
bulk modulus
  cf. elastic properties
*burmite 8:146
bytownite cf. plagioclase

C

calcite $CaCO_3$
  twinning 5:141
  cf. also carbonates
calcium germanate Ca_2GeO_4 3:291
calcium silicate Ca_2SiO_4 3:291
calorimetry 1:89
  spinelloids 10:166
carbon dioxide 5:105
carbonates 1:109, 5:141
  antiphase domains 5:141
  calcite 4:291, 5:141, 7:55, 8:247, 9:173
  defects, electron microscopy 9:102
  deformation mechanism 5:141
  dolomite 5:141, 7:271, 8:29, 9:102
  kutnahorite 5:141
  magnesite 1:109, 3:79
  rhodochrosite 5:141
carbonatite 3:61
carnegieite $NaAlSiO_4$ 4:139
carnelian SiO_2 3:82
cation distribution
  cf. order-disorder
celestite $SrSO_4$ 10:21
cesium chloride CsCl 6:295
cesium fluoride type 6:295
chabazite $CaAl_2Si_4O_{12} \cdot 6H_2O$ 9:139
chain periodicity faults
  pyroxenoids 10:230
  cf. defects
chalcedony SiO_2 10:197
chalcopyrite $CuFeS_2$ 2:253
channels
  beryl 3:225
  hollandite 3:85
charge compensation 3:213
charge distribution
  olivine group 9:160
  quartz 9:61
charge transfer 4:221
  cf. electronic charge transfer
  cf. electron delocalization
chatoyancy 7:53
chemical bond 3:45
  aminosilicates 7:204
  bond distances 7:15
  bond energy 5:285, 297
  borates 7:159
  copper-sulfur clusters 2:225
  disilicic acid: MO 8:36
  disiloxane: MO 8:36
  forsterite 7:20
  silicates 7:204
  silicates: MO 8:36
  silicic acid: MO 8:36
  siloxanes 7:204
  Si–O 6:221, 7:204
  Si–S 7:204
  sulfates 1:53

sulfides 9:253
tetrahedral oxyanions 2:21
thiosilicates 7:204
uraninite 7:151
uranium oxide 7:151
chloritoid $(Fe,Mg,Mn)_2 \cdot Al_4Si_2O_{10}(OH)_4$ 7:117
chondrites 3:78
chromatography (thin layer)
fossil resin 7:1
chrysotile $Mg_6Si_4O_{10}(OH)_8$ 1:385, 3:79
citrine SiO_2 6:145
clathrates 3:67
clay minerals 1:379, 3:63, 7:223
etching 5:133
fission track 5:133
vermiculite 5:133
clinoenstatite
cf. pyroxene group
clinopyroxene
cf. pyroxene group
clinozoisite $Ca_2Al_3Si_3O_{12}OH$ 5:14
clintonite $CaMg_2Al_4 \cdot SiO_{10}(OH)_2$ 7:71
clustering 4:1
CNDO/2 4:11
cobalt silicate $CoSiO_3$, Co_2SiO_4 3:81
coesite SiO_2 3:86, 4:11, 6:221
cohesive properties 7:15
fluorides 7:15
hydroxides 7:15
color
aquamarine 1:301
beryl 3:87, 225
cordierite 1:301
fluorite, natural 3:117
kyanite 1:301
sapphire, natural 3:213
sodalite 3:65
spodumene 3:93
titanian pyroxene 3:173
compressibility cf. compression, elastic properties
compression 1:83
wüstite 6:157
computer simulation
crystal structures 2:3
sodalite 2:325
*copalite 8:146
cordierite $(Mg,Fe)_2Al_4Si_5O_{18}$ 1:301, 3:303, 6:47, 7:268, 8:14
nuclear gamma resonance 10:200
optical spectra 10:200
order-disorder 10:256
pleochroic haloes 10:200
Raman spectra 10:256
coronadite $PbMn_8O_{16}$ 3:85
corundum Al_2O_3 1:257, 3:1, 4:253, 5:14
corundum type
$MgGeO_3$ 4:265
$ZnGeO_3$ 4:265
cotunnite $PbCl_2$ 3:83
Coulombic energy
forsterite 10:209
ringwoodite 10:209
cristobalite SiO_2 3:89, 4:11, 139, 6:305
crocidolite $Na_2(Fe,Mg)_3 \cdot Fe_2Si_8O_{22}(OH)_2$ 9:269
cronstedtite $Fe_4SiO_5(OH)_4$ 7:141
cryptomelane KMn_8O_{16} 3:85
crystal field 4:253
crystal field effect 3:97
spinel structure type 8:69
crystal field stabilization
olivine 2:349
spinel 2:177
crystal growth 6:283
mica group 8:268
quartz 8:121, 128
crystal structure
andalusite 3:133
biotite 2:267
borates 2:59
calcium silicate Ca_2SiO_4 3:291
clinoenstatite 10:217
cuprite Cu_2O 9:19
emeleusite 3:72
enstatite 10:217
labradorite 3:74
monalbite 4:102
Ni phosphate 10:10
olivine 2:177, 9:57
parawollastonite 10:217
perovskite-type 3:97
pigeonite 2:237
protolithionite 3:91
sillimanite 3:133
simulation 10:209
spinel 2:177, 8:64
sursassite 10:99
wollastonite 10:217
crystallization 2:125
alkali feldspar 2:201
cubanite $CuFe_2S_3$ 1:335
cuprite Cu_2O 3:92, 9:19
curite $Pb_2U_5O_{17} \cdot 4H_2O$ 3:93, 4:281, 6:129

D

Debye temperature
fayalite 7:60
decorating
forsterite 5:15
white mica 5:65
deerite $(Fe,Mn,Al)_9Si_6 \cdot O_{20}(OH)_5$ 6:19, 7:10
defects 6:295
albite 7:185
amethyst 3:92
biotite 2:153, 267
calcium fluoride 6:269
cesium fluoride type 6:295
chain periodicity faults 9:229
clinopyroxene 7:105
diffusion 9:79
diopside 1:137
dislocations 5:15, 53, 201
dislocation climb 3:163
dislocation etch pits 9:67
dissociated dislocations 10:125
dolomite 7:271, 9:102
double oxides 2:279
fayalite 10:27
feldspar 3:78, 8:77
ferrosilite III $FeSiO_3$ 9:229
garnet 8:87
Henry's law 8:87
K feldspar $KAlSi_3O_8$ 9:182
kyanite 8:251
lithium oxide type 6:295
magnesium germanate 7:241
magnetite 8:112
marcasite 7:253
melilite 10:121
mica group 8:268
muscovite 9:146
olivine 3:309, 7:100
orthopyroxene 7:105
plagioclase 1:351, 8:87
pyroxene group 8:87
pyroxenoid 6:85
quartz 3:91, 7:5, 110, 8:121, 153, 9:67, 79, 10:84, 149, 180
quartzite 3:163
rare earth oxide type 6:295
rhodonite 6:85
riebeckite 9:115
sanidine 6:61
sodium cadmium sulfate 6:269
sodium chloride 6:295
sodium fluoride 6:269
spinel 9:248
spodumene 1:15, 10:125
stacking disorder 10:99
staurolite 8:251
sursassite 10:99
ulvöspinel 8:112
yoderite 8:251
zinc sulfide type 6:295
zircon 7:47
deformation 5:141
andalusite 4:245
calcite 5:141
clinopyroxene 7:105
dolomite 7:271, 9:102
forsterite 5:15
galena 2:305
K feldspar 9:182
orthopyroxene 7:105
plagioclase 1:351
quartz 9:67
quartzite 3:163
spodumene 10:125
dehydrated structures 2:365
delocalized electrons
cf. electron delocalization
density
in relation to refractive index 10:133
dental enamel 6:55
diamond 1:129, 7:218, 8:105, 9:6
diamond anvil cell
lead oxide 6:187
diaplectic glass 1:95
melilite 10:121
maskelynite 1:95
diaspore AlO(OH) 5:179, 7:138
dickite $Al_2Si_2O_5(OH)_4$ 3:75
dielectric properties
potassium sulfate 7:211
diffuse scattering
anorthite 1:227
diffusion
albite 7:185
chrysotile 1:385
defects in quartz 9:79
impurities in quartz 10:180
oxygen 7:185
diopside $CaMgSi_2O_6$
cf. pyroxene group
dioptase $Cu_6Si_6O_{18} \cdot 6H_2O$ 3:83
disilicic acid $H_6Si_2O_7$ 8:36
disiloxane $H_3SiOSiH_3$ 6:37, 8:36
dislocations cf. defects
disorder cf. order-disorder
disproportionation
andalusite 1:257
dissolution
chrysotile 1:385
dissymetrization 6:283
distance least squares 2:3
distribution coefficient
cf. element distribution
disulfide S_2 2:317
dolomite $CaMg(CO_3)_2$
cf. carbonates
defects, electron microscopy 8:29, 9:102
deformation mechanism 5:141
domains
dolomite 8:29
microcline 10:69
mullite 10:47
shocked quartz 10:142
cf. antiphase domains
double nuclear magnetic resonance (DNMR)
calcium fluoride:Na^+ 6:269
sodium cadmium sulfate 6:269
sodium fluoride:Ca^{2+} 6:269
double oxides 2:279
dunites 3:90

E

earth's interior 5:33
earth's mantle 2:297, 349, 3:56, 97, 291, 309, 5:105
free energies 5:105
elastic properties
andalusite 3:133
corundum 3:1
cristobalite 6:305
diamond 7:216
diopside 4:105
forsterite 10:38, 209
garnet 3:56, 7:216
high temperature effects 10:38
magnesium fluoride 1:179
magnesiowüstite 3:11
Ni_2SiO_4 olivine 10:261
Ni_2SiO_4 spinel 10:261
orthoenstatite 10:62

periclase 5:21, 9:38
perovskite 4:23
protoenstatite 10:62
quartz 6:305
ringwoodite 10:209
rock salt type 7:246
sillimanite 3:133
sphalerite 6:1
systematics 3:251
temperature coefficient 9:38
wurtzite 6:1
zircon 2:215
elasticity 4:115
periclase 5:21
electric conductivity 4:189, 291
baddeleyite 9:237
calcite 8:247
fayalite 6:95
forsterite 6:95
olivine 6:95, 9:127
potassium sulfate 7:211
pressure effect 9:127, 237
zircon 9:237
electric field gradient
biotite 2:267
cuprite 9:19
forsterite 7:169
ilvaite 3:56
layer silicate 3:58
olivine 3:68
electrokinetic properties 4:281
curite 6:129
lipscombite 7:197, 9:263
meta-autunite group 6:129
electron delocalization 4:221
deerite 6:19, 7:10
ilvaite 10:250
electron density
borates 7:159
diaspore 5:179
s-electron 5:343
electron diffraction
olivine 9:133
orthopyroxene 6:109
cf. electron microscopy
electron gas model 7:15
fluorides 7:15
hydroxides 7:15
electron microscopy 3:263, 309, 4:115, 275, 361
allaghanyite 8:167
amethyst 8:128
augite 10:230
biotite 2:153
calcite 5:141
chabazite 9:139
chalcedony 10:197
clinoenstatite 9:192
dolomite 7:271, 8:29, 9:102
heyrovskyite 8:188
humite group 8:55, 167
K feldspar 9:182
kyanite 8:251
leucophoenicite 8:167
lillianite 8:188
magnesium germanate 7:241
marcasite 6:253
microcline 10:69
mullite 10:47
olivine 7:100, 9:57
omphacite 9:30
orthopyroxene 6:109
pigeonite 2:237, 10:230
plagioclase 6:169
protoenstatite 9:192
pumpellyite 10:99
pyroxene 5:119
pyroxenoids 5:351, 10:230
pyroxmangite 6:85
quartz 5:201, 7:5, 110, 9:79, 10:180, 197
rare earth silicates 5:245
rhodonite 6:85
sanidine 6:61
shocked melilite 10:121
sonolite 8:167
spodumene 10:125
staurolite 8:251
sursassite 10:99
troilite 8:175
yoderite 8:251
zircon 7:47
electron nuclear double resonance (ENDOR)
forsterite 9:95
electron paramagnetic resonance (EPR)
alkali feldspar 3:78, 9:276, 277
anhydrite 10:21
barite 10:21
beryl 1:165, 9:278, 279
beryl:Fe^{3+} 8:161
celestite 10:21
citrine 6:145
feldspar group 8:77
fluorite 3:117, 10:173
forsterite 3:88, 6:9
forsterite:Cr 1:371
forsterite:Cr,Al 9:95
microcline 8:149
plagioclase 3:33
pseudo-symmetry 6:9
quartz 3:92, 6:145, 8:153, 10:84, 149
scheelite:REE 9:223
smoky quartz 6:145
sodalite:Mn^{2+} 6:31
sodium cadmium sulfate 6:283
tremolite:Mn^{2+},Fe^{3+} 8:200
zinc selenate 6:283
electron relaxation
cf. electron delocalization
electron spin resonance (ESR)
cf. electron paramagnetic resonance (EPR)
electronic absorption spectra
cf. optical absorption spectra
electronic charge in crystals 3:45
electronic charge transfer between iron cations 1:301
electronic structure
andalusite 6:77
disiloxane 6:37
sulfides 9:253
electrostatic energy
mica 6:313
element distribution
mineral-aqueous equilibrium 9:49
olivine-melt (Ni) 9:157
emeleusite $Na_2LiFe^{3+}Si_6O_{15}$ 3:72
emerald (beryl) $Be_3Al_2Si_6O_{18}$ 1:243
emission spectroscopy
fossil resins 7:1
enstatite $Mg_2Si_2O_6$
cf. pyroxene group
enthalpy 2:89, 7:43
fayalite 7:43
forsterite 7:20, 43
olivine 7:43
potassium sulfate 7:88
entropy
potassium sulfate 7:88
epidote group
clinozoisite 5:14
epidote 3:84, 303, 5:1, 4, 5, 8:158
piemontite 8:136
equation of state 5:33
baddeleyite 9:237
forsterite 10:38
periclase 9:38
zircon 2:215, 9:237
etch pits
marcasite 7:253
etching
clay minerals 5:133
epidote 8:158
olivine 3:309
platinum 8:197
quartz 9:67
vermiculite 5:133
exchange-coupled pairs 3:213, 343, 375
exsolution 3:183
alkali feldspar 9:9, 10:55
andesine 4:115
antiperthite 3:263
augite 4:361
Böggild intergrowth 4:115
clinopyroxene 7:105
labradorite 4:115
microcline 1:313
omphacite 9:30
orthopyroxene 7:105
peristerite 4:115
pigeonite 4:361
plagioclase 7:77
extended X-ray absorption fine structure (EXAFS)
cf. X-ray spectra

F

fabrics
quartz 3:163
far infrared spectroscopy (FIR)
sulfides 9:109
faults cf. defects
fayalite Fe_2SiO_4 2:349, 3:95, 145, 4:102, 189, 199, 6:95, 7:43, 60
cf. olivine group
feldspar group 3:33, 57, 63, 78, 85, 86, 263, 303, 305, 4:115
defects 8:77
electron paramagnetic resonance 8:77
order-disorder 6:251
phase transition 5:255, 6:251
radiation effects 8:77
cf. albite, alkali feldspar, anorthite, plagioclase
feldspathoids 3:67
ferberite $FeWO_4$ 3:331
ferric iron
isomer shift 5:343
molecular orbital theory 5:343
ferrobielastic property 4:129
quartz 8:20
ferrosilite $Fe_2Si_2O_6$ 1:109, 273, 289, 3:306
*ferrosilite III cf. pyroxenoid group
fission track
annealing in apatite 9:197
epidote 8:158
vermiculite 5:133
zircon 7:47
flow-laws
galena 2:305
fluorapatite $Ca_5(PO_4)_3F$ 3:60, 7:35
fluorescence
scheelite:REE 9:223
fluorides
molecular cluster calculation 7:15
fluorite CaF_2 3:64, 117
:Na 6:269, 295
:REE 10:173
fluorite type
defects 6:295
lead oxide 6:187
fluoro-clinohumite $(Mg,Fe)_9Si_4O_{16}F_2$ 8:55
fluoro-humite $(Mg,Fe)_7Si_3O_{12}F_2$ 8:55
fluoroperovskites 4:23
force constants
barium fluorobromide 7:135
cristobalite 6:305
quartz 6:305
forsterite Mg_2SiO_4 1:371, 3:88, 5:15, 41, 105, 6:9, 95, 7:20, 43, 169, 9:160
cf. olivine group
fossil resins 7:1
*amber 8:146
*burmite 8:146
*copalite 8:146
*rumanite 7:1, 8:146
*simetite 7:1, 8:146
*succinite 7:1, 8:146
fracture
quartz 7:5
Frank's formula
quartz 5:201
free energies
earth's mantle 5:105
freezing velocity 2:125
fresnoite type
germanium fresnoite 7:26
strontium fresnoite 7:26
fugacity of gases 2:297, 5:105

G

galena PbS 2:305, 3:92
gallium albite $NaGaSi_3O_8$ 8:51
garnet group 3:26, 56, 60, 68, 301, 375, 5:1, 105, 8:57
  almandine 3:56
  andradite 1:399, 3:56, 5:1
  defects 8:57
  germanium andradite 4:60
  grandite 8:25
  grossular 3:56, 5:1,5
  Henry's law 8:87
  pyralspite 3:56
  pyrope 3:56
  schorlomite 1:399
  silicate garnet 4:235
  spessartine 1:282, 4:60, 101
  titanium garnet 1:399, 4:55
  uvarovite 4:102
  zirconium andradite 4:60
gedrite (orthoamphibole) 1:43
geobarometry 7:216
geothermometry 7:216
germanate 3:81, 84
  Ca_2GeO_4 3:291
  $CoGeO_3$ 4:265
  germanium andradite 4:60
  germanium fresnoite 7:26
  $MGeO_3$ high pressure transition 4:265
  $MgGeO_3$ 2:171, 4:265, 7:241
  Mg_2GeO_4 3:81, 7:241
  $(Mg,Fe)_2GeO_4$ 3:27
  $MnGeO_3$ 4:265
  $ZnGeO_3$ 4:265
glauconite $(K,Na)(Fe,Al,Mg)_2 \cdot (Si,Al)_4O_{10}(OH)_2$ 3:58
goethite FeOOH 8:180, 257
gold, native Au 8:193
grain boundaries
  migration 9:30
  olivine 9:133
granite 3:306, 4:161
granulite 4:161
graphite C
  phase transition 7:216
greenalite $Fe_{2-3}Si_2O_5(OH)_4$ 7:141
grospydite 4:102
grossular $Ca_3Al_2Si_3O_{12}$ 3:56, 5:1, 5
growth defects cf. defects
Grüneisen parameter 5:33, 8:212
  fayalite 7:60
  periclase 9:38
Guinier-Preston zone
  orthopyroxene 6:109
gypsum $CaSO_4 \cdot 2H_2O$ 4:341
  Raman spectra high pressure 10:89
  shock effects 9:173

H

halite NaCl 4:265, 6:295
  related structures 10:245
  shock effects 9:173
hardness 3:45
harmonic generation 1:379
heat capacity
  calcite 7:55
  microcline 5:83
hedenbergite $CaFeSi_2O_6$ 1:109
hematite Fe_2O_3 3:183, 8:257
Henry's law
  garnet 8:87
  plagioclase 8:87
  pyroxene group 8:87
hexacelsian $BaAl_2Si_2O_8$ 1:71
heyrovskyite $Pb_6Bi_2S_9$ 8:188
high pressure 4:245, 265, 5:33
  analcime 7:96
  calcite 8:247
  calcium silicate 3:291
  ilvaite 3:55
  lead oxide 6:187
  magnetite 3:66
  olivine 3:89, 90
  phase transition 5:167
  perovskite-type $MgSiO_3$ 3:97
  troilite 3:72
high resolution transmission microscopy (HRTEM)
  cf. electron microscopy, lattice imaging
high-temperature elasticity
  magnesium fluoride 1:179
Hildebrand equation of state
  cf. equation of state
hollandite $A_xM_8(O,OH)_{16}$ 3:62, 85
hornblende
  cf. amphibole group
hubnerite $MnWO_4$ 3:331
hubnerite-ferberite zoning 3:331
humite group
  alleghanyite 8:167
  chondrodite 8:55
  clinohumite 8:55
  fluoro-clinohumite 8:55
  fluoro-humite 8:55
  humite 8:55
  leucophoenicite 8:167
  sonolite 8:167
Huttenlocher exsolution 7:77
hydrogen autunite 6:129
hydrolytic weakening
  quartz 9:79
  quartzite 3:163
hydrostatic compression
  ilmenite type phases 2:171
hydrothermal synthesis 3:75
hydroxides
  molecular cluster calculation 7:15
hydroxyl apatite $Ca_5(PO_4)_3(OH)$ 3:60, 84
hydroxyl groups
  barrerite 9:189
  biotite 9:14
  olivine 9:57
  quartz 3:199, 9:79
  silicates 5:315
  synthetic quartz 5:309
hydroxyl sodalite 3:83

I

idealized solids for geophysics 5:33
ilmenite $FeTiO_3$ 7:82
ilmenite type
  $CoGeO_3$ 4:265
  $MgGeO_3$ 2:171
  $MgSiO_3$ 2:171
  $ZnSiO_3$ 2:171
ilvaite
  $CaFe_2^{+2}Fe^{+3}(SiO_4)_2(OH)$ 3:55, 4:149, 221, 10:250
inclusion formation 2:215, 3:67
indialite $Mg_2Al_4Si_5O_{18}$ 1:243
  cf. cordierite
indium garnet
  $Ca_3In_2(Si_{1-x}Ti_x)_3O_{12}$ 4:56
information storage and display 3:64
infrared absorption (IR) spectra 3:67, 82, 84, 375, 5:237
  amphiboles 4:1
  analcime 7:96
  andalusite 1:257
  anhydrite 4:341
  apatite 6:55
  arsenopyrite 9:109
  augite, pigeonite 4:361
  barrerite 9:189
  biotite 9:14
  brucite-like structures 10:187
  fluorapatite 7:35
  fossil resins 7:1
  germanium lipscombite 7:197
  gypsum 4:341
  layer silicates 1:233
  loellingite 9:109
  marcasite 9:109
  microcline 7:31
  niobium 1:325
  olivine 5:327, 9:57
  pyrite 9:109
  sabugalite 9:23
  serpentine 6:209
  sillimanite 1:265
  spinel 5:327
  strontium fresnoite 7:26
  titanium garnet 4:55
interatomic forces
  rock salt type 7:246
interface energy
  plagioclase 7:64
interface morphology 2:134
interfaces
  talc-tremolite 4:275
ion beam 3:199
  silicates 5:315
ionic conductivity
  sodium magnesium silicates 4:139
ionicity 3:45
iridescence
  grandite 8:25
iron
  X-ray spectra 5:285
iron group metals cf. oxides
iron in biotite 4:65
iron pairs 3:343, 375
irradiation
  beryl 3:225
  quartz 7:110
isomer shift
  ferric iron 5:343
isomorphism
  $Fe^{+2}-Al^{+3}$ 3:213
isotopes
  ^{46}Ti, ^{50}Ti infrared absorption spectra

J

jarosite type $MFe_3(SO_4)_2(OH)_6$ 6:327
jasper 8:20

K

kanonaite $(Mn,Al)_2SiO_5$ 8:136
kaolinite $Al_4Si_4O_{10}(OH)_8$ 1:379, 3:75
kaolinite-serpentine group
  amesite 3:69
  berthierine 7:141
  chrysotile 1:385, 3:79
  cronstedtite 7:141
  dickite 3:75
  greenalite 7:141, 8:215
  kaolinite 1:379, 3:75
  metahalloysite 3:75
  nacrite 3:75
  parachrysotile 3:79
katapleite $(Na_2,Ca)ZrSi_3O_9 \cdot H_2O$ 3:62
kinetics
  alkali feldspar exsolution 10:55
  annealing of fission tracks 9:197
  chain periodicity faults 9:229
  exsolution in feldspars 9:9
  growth of olivine 9:167
  transformation of omphacite 9:30
kirschsteinite $CaFeSiO_4$ 7:91
kosmochlore $NaCrSi_2O_6$ 4:102
kroehnkite type
  sodium cadmium sulfate 6:269, 283
k-space symmetry 2:253
kutnahorite $(Ca,Mn)CO_3$ 5:141
kyanite Al_2SiO_5 1:273, 292, 301, 3:59, 86, 271, 4:102
K_2NiF_4 isotype 3:291

L

labradorite 1:95, 213, 33:33, 69, 74, 4:115, 6:169
lanthanite $(La,Ce)_2(CO_3)_3 \cdot 8H_2O$ 10:173
larnite Ca_2SiO_4 9:160
laser 1:379
lattice constants
  brucite-like structures 10:187
lattice defects cf. defects
lattice dynamics
  andalusite 4:173
  anhydrite 4:341
  barium fluorobromide 7:135
  corundum 3:1
  gypsum 4:341
  quartz 6:305, 9:61
  rock salt type 7:246
  spinel 8:64

lattice energy
  forsterite 7:20
  merwinite 9:160
  olivine group 9:160
lattice imaging
  chabazite 9:139
  dolomite 9:102
  *ferrosilite III 9:229
  muscovite 9:146
  zircon 7:47
    cf. electron microscopy
layer aluminosilicate 1:233
layer silicates 7:223
lead oxide 6:187
lead selenide PbSe 3:92
lead telluride PbTe 3:92
lechatelierite SiO_2 10:133
light scattering
  water bubbles in quartz 9:79
lillianite $Pb_3Bi_2S_5$ 8:188
lipscombite $(Fe,Mn)Fe_2(PO_4)_2 \cdot (OH)_2$ 7:151, 197
  manganoan 9:263
lithium oxide type 6:295
loellingite $FeAs_2$ 7:177
lovdarite $(Na,K,Ca)_2(Be,Al) \cdot Si_3O_8 \cdot 2H_2O$ 3:62
luminescence
  scapolite 2:317
  spodumene 3:92

M

macfallite $Ca_2(Mn,Al)_3(SiO_4) \cdot (Si_2O_7)(OH)_3$ 10:99
magmas 2:94
magnesiowüstite (Mg,Fe)O 1:109, 3:79
magnesite 1:109, 3:79
magnesium difluoride MgF_2 1:179
magnesium germanate $MgGeO_3$ 2:171
magnesium germanate Mg_2GeO_4 3:81, 7:241
magnetic circular dichroism (MCD)
  beryl 1:165
  diamond 1:129
magnetic ordering
  Al–Co–Fe spinel 8:206
  biotite 8:218
  crocidolite 9:269
  glauconite 8:218
  goethite, aluminous 8:180
  greenalite 8:218
  hematite, aluminous 8:257
  mica group 8:218
  montmorillonite group 8:218
  muscovite 8:218
  nontronite 8:218
  vermiculite group 8:218
magnetic properties
  berthierine 7:141
  cronstedtite 7:141
  deerite 7:10
  greenalite 7:141
  riebeckite 5:219
  spinels 9:124
magnetic susceptibility
    cf. magnetic properties
magnetism 4:149
magnetite Fe_3O_4 3:66, 4:189
  titanomagnetite 5:235
magnetization cf. magnetic properties
manganese oxide 3:63
mantle cf. earth's mantle, upper mantle
marcasite FeS_2 7:177, 253, 9:109, 253
maskelynite $Na_xCa_{1-x}Al_{2-x} \cdot Si_{2+x}O_8$ (glassy) 1:95
mass spectroscopy
  barium fluorobromide 7:135
  fossil resins 7:1
  matlockite type 7:135
matlockite type
  barium fluorobromide 7:135
mechanical twinning
  diopside 1:137
    cf. twinning
melilite $(Ca,Na)_2(Mg,Fe,Al) \cdot (Si,Al)_2O_7$
  shock effects 10:121
merwinite $Ca_3Mg(SiO_4)_2$
  lattice energy 9:160
meta-autunite group
  meta-autunite 6:129
  metatorbernite 6:129
metahalloysite $Al_2Si_2O_5(OH)_4$
metamict minerals 1:325
  zircon 7:47
metamorphism
  white mica 5:85
metasomatites 3:78
metatorbernite $Cu(UO_2(PO_4)_2 \cdot 8H_2O$ 6:129
meteorites 3:78
methane CH_4 5:105
mica 2:153, 267, 3:79, 84, 91, 302, 5:105, 6:313
mica group
  biotite 2:153, 267, 3:84, 301, 303, 375, 4:65, 8:218, 9:14
  celadonite 3:58
  clintonite 7:71
  crystal growth 8:268
  defects 8:268
  electrostatic energy 6:313
  glauconite 3:58
  magnetic properties 8:218
  muscovite 5:65, 68, 8:218
  Na,K-mica-montmorillonite 3:75
  NH_4-mica 3:75
  paragonite 3:75
  phlogopite 3:75, 84
  polylithionite 7:71, 8:98, 99
  polytype structures 8:268
  siderophyllite 7:71, 8:98, 99
  xanthopyllite 7:71
microcline $KAlSi_3O_8$ 3:305, 5:83, 95, 7:31
  heat capacity 5:83
  phase transition 5:83, 95
microhardness
  olivine 7:100
microspectrophotometry 7:273
microstructure
  chalcedony 10:197
milarite $K_2Ca_4Al_2Be_4Si_{24}O_{60} \cdot H_2O$ 3:72
mineral stability 2:89
mixed valence
  clay minerals: Fe^{+2},Fe^{+3} 7:223
  deerite: Fe^{+2},Fe^{+3} 6:19
  layer silicates: Fe^{+2},Fe^{+3} 7:223
  olivine: Fe^{+2},Fe^{+3} 7:91
molecular cluster calculation
  fluorides 7:15
  hydroxides 7:15
molecular orbital (MO) energy differences in silicates 10:137
molecular orbital (MO) theory
  borates 7:159
  copper-sulfur clusters 2:225
  disilicic acid 8:36
  disiloxane 6:37, 8:36
  ferric iron 5:343
  iron diarsenide 7:177
  iron disulfide 7:177
  periclase 9:115
  riebeckite 9:115
  silica polymorphs 4:11
  silicates 1:27, 8:36
  silicic acid 8:36
  siloxane 6:221
  Si–O 6:221
  sulfates 1:53
  sulfides 9:253
  tetrahedral oxyanions 2:21
monazite $(Ce,La,Nd,Th)PO_4$ 1:91, 7:130
Monte Carlo
  simulation of Si–Al ordering and exsolution 9:9
montmorillonite group
  beidellite 3:75
  Na,K mica-montmorillonite 3:75
  nontronite 8:218
morphology
  diamond 8:105
  gold, native 8:193
  newberyite 9:216
  platinum 8:197
  quartz 5:53, 8:121
  scheelite 9:223
  silver, native 8:193
  struvite 9:216
  whewellite 10:114
Mössbauer spectroscopy
    cf. nuclear gamma ray resonance (NGR)
mullite $Al_{4+2x}Si_{2-2x}O_{10-x}$ 1:265, 10:47
multiple diffraction
  pyroxene group 7:260
muscovite $KAl_3Si_3O_{10}(OH,F)_2$ 3:75, 79, 9:146
  sericite 5:65, 68

N

nacrite $Al_2Si_2O_5(OH)_4$ 3:75
natrolite $Na_2Al_2Si_3O_{10} \cdot 2H_2O$ 3:62
nemalite $(Mg,Fe)(OH)_2$ 3:79
nepheline $NaAlSiO_4$ 3:303
nephrite $Ca_2(Mg,Fe)_5Si_8O_{22} \cdot (OH)_2$ 4:275
neutron activation
  fossil resins 7:1
neutron diffraction
  berthierine 7:141
  crocidolite 9:269
  cronstedtite 7:141
  greenalite 7:141
neutron polarization
  synthetic quartz 5:309
newberyite $MgHPO_4 \cdot 3H_2O$ 9:216
nickel aluminosilicates
  polytypism 10:77
nickel olivine Ni_2SiO_4 3:81, 4:189
nickel orthophosphate $(Ni,Mg)_3(PO_4)_2$ 10:10
niningerite (Mg,Fe)S 10:245
non-stoichiometry
    cf. stoichiometry
novaculite (opal) $SiO_2 \cdot nH_2O$ 8:20
nuclear gamma ray resonance (NGR)
  Al–Co–Fe spinel 8:206
  anthophyllite 1:43
  berthierine 7:141
  beryl 3:225
  biotite 2:267, 8:218, 9:14
  chloritoid 7:117
  clay minerals 7:223
  clinopyroxenes $CaFeAlSiO_6$–$CaTiAl_2O_6$ 9:205
  clintonite 7:71
  cordierite 10:200
  crocidolite 9:269
  cronstedtite 7:141
  deerite 6:19, 7:10
  electron delocalization 10:250
  ^{57}Fe 4:235
  glauconite 8:218
  goethite, aluminous 8:180
  greenalite 7:141, 8:218
  hematite, aluminous 8:257
  ilmenite 7:82
  ilvaite 3:55, 4:149, 221, 10:250
  jarosite type 6:327
  layer silicates 3:58, 7:223
  $LiAlO_2$:Fe^{+3} 9:212
  lipscombite 7:197, 9:263
  magnetite 3:66
  mica group 8:218
  montmorillonite group 8:218
  next nearest neighbors interactions 10:245
  niningerite 10:245
  nontronite 8:218
  olivine 7:91
  orthoamphiboles 1:43
  orthopyroxene 4:43
  polylithionite 7:71, 8:98, 99
  riebeckite 5:219
  siderophyllite 7:71, 8:98, 99
  ^{119}Sn 4:235
  tourmaline 4:209

troilite-pyrrhotite 3:82
vermiculite group 8:218
wolframite 8:83
xanthophyllite 7:71
yoderite 3:271
nuclear magnetic resonance (NMR)
biotite 9:14
cordierite:proton 8:14
inclusion compounds 3:67
olivine 3:68
plagioclase feldspars 3:33
nucleation
alkali feldspar exsolution 10:55
augite 2:237
homogeneous, heterogeneous 10:55

O

octahedral flattening
brucite-like structures 10:187
oligoclase 3:35, 37
olivine group
charge distribution 9:160
defects in fayalite 10:27
dislocations 5:15
distribution coefficient, Ni, melt 9:167
elastic properties 10:38, 209, 261
electric conductivity 6:95, 9:127
electron diffraction 9:133
electron nuclear double resonance 9:95
electron paramagnetic resonance 6:9, 9:95
enthalpy 7:43
fayalite 3:68, 6:95, 7:43, 60
forsterite 3:68, 291, 5:15, 41, 105, 6:95, 7:20, 43, 169, 9:160
grain boundaries 9:133
growth kinetics 9:167
hydroxyl groups 9:57
infrared spectroscopy 5:327, 9:57
kirschsteinite 7:91
lattice energy 9:160
Mg_2GeO_4 3:81
mixed valence Fe^{+2},Fe^{+3} 7:91
monticellite 9:160
Ni_2SiO_4 3:81, 4:189, 10:261
olivine 1:90, 371, 2:177, 349, 3:28, 60, 77, 89, 90, 94, 95, 237, 302, 4:189, 199, 5:15, 327, 6:95
plastic properties 7:100
pseudo-symmetry 6:9
related nickel phosphates 10:10
spinel transition 3:81
structure 9:57
omphacite $(Na,Ca,Mg,Fe)\cdot(Mg,Fe,Al)(Si,Al)_2O_6$ 3:61, 5:119, 7:260
optical absorption spectra 1:273
andalusite 4:401, 6:77, 8:136
aquamarine 1:301
beryl 3:87, 225, 8:161, 9:278, 279
biotite 3:375, 4:65
chloritoid 7:117
cordierite 1:301, 10:200
diamond 1:129
fayalite 4:102
fluorite 3:117
kanonaite 8:136
kyanite 1:301
$LiAlO_2$:Fe^{+3} 9:212
orthopyroxene 4:43
piemontite 8:136
ruby 4:253
sapphire 3:213
spessartine 4:101
synthetic silicates 1:273
titanian clinopyroxene 3:173
tourmaline 3:343, 375
viridine 4:101
yoderite 3:271, 8:143
optical interference
cf. optical properties
optical properties 1:379, 8:25
quartz 8:128
order-disorder 1:109
albite 6:251, 7:149, 8:47
Al–Co–Fe spinel 8:206
alkali feldspar 3:305, 9:9
amphiboles 1:43, 4:1
chalcopyrite 2:253
cordierite 10:256
dolomite 8:29
gallium albite 8:51
ilmenite 7:82
muscovite 9:146
$(Ni,Mg)_3(PO_4)_2$ 10:10
orthoamphibole 1:43
orthopyroxene 4:43
plagioclase 6:169
quartz-like structures 10:273
serpentine 6:209
spinel group 9:1, 10:192, 194
stacking 9:146
titanomagnetite 5:235
tourmaline 4:209
orthoclase $KAlSi_3O_8$ 3:305
orthoferrite-type 3:97
orthoferrosilite $Fe_2Si_2O_6$ 1:109, 273, 289, 3:306
orthopyroxene $(Mg,Fe)_2Si_2O_6$ 3:81, 303, 4:43, 7:105, 260
electron diffraction 6:109
electron microscopy 6:109
Guinier-Preston zone 6:109
order-disorder 4:43
orthosilicic acid H_2SiO_4 6:221
oscillatory zoning
wolframite 7:190
otenite $Ca(UO_4)(PO_2)\cdot 8H_2O$ 3:62
overlap population
sulfates 1:53
oxidation
biotite 9:14
clay minerals 7:223
deerite 7:10
Fe^{+2}/Fe^{+3} 4:65
layer silicates 7:223
lipscombite: Fe^{+2},Fe^{+3} 7:151, 197
uraninite:U 7:151
uranium oxide:U 7:151
oxidation state
cf. mixed valence
oxides 5:297
double oxides 2:279
elastic constants 3:11, 251
ion exchange centres 3:62
molecular orbitals, spectra 2:21
spinel type 4:317
cf. spinel group, periclase, wüstite
oxonium 1:233
oxyanions, tetrahedral 2:21

P

palygorskite $(Mg,Al)_2Si_4O_{10}\cdot(OH)\cdot 4H_2O$ 3:63
parachrysotile $Mg_3Si_2O_5(OH)_4$ 3:79
paragonite $NaAl_3Si_3O_{10}(OH)_2$ 3:75
paramagnetic centers cf. defects
partial equilibrium
alkali feldspars 2:199
pegmatites 3:78, 91, 92
periclase MgO 3:89, 97, 5:21, 41, 105
elastic constants 9:38
molecular orbital theory 9:115
periodic bond chain (PBC) theory
whewellite 10:114
peridotite xenoliths 3:309
peristerite 4:115
perovskite $CaTiO_3$ 3:90, 97
perovskite type
$CaSiO_3$ 3:291
$KMgF_3$ 4:23
$MgSiO_3$ 4:265, 299, 5:105
$MnGeO_3$ 4:265
$NaMgF_3$ 4:299
perthite cf. alkali feldspars
phase equilibria high pressure 4:265
phase transition 5:167
albite 6:251
alkali feldspar 3:57
anorthite 1:227
barrerite 2:365, 9:189
$BaZnGeO_4$ 10:16
calcite 4:291, 8:247
cubanite 1:335
curite – meta-autunite 6:129
curite – metatorbernite 4:281
diamond 7:216
gallium albite 8:51
germanates 4:265
graphite 7:216
hematite, aluminous 8:257
hexacelsian 1:71
high pressures 5:167
inclusion compounds 3:67
kaolinite 3:75
K_2NiF_4-type 3:291
layer silicates 3:75
microcline 5:83, 95, 7:31
muscovite-phlogopite 3:75
olivine-spinel 2:177, 349, 3:81
plagioclase 5:255, 7:77
potassium sulfate 4:307, 7:88, 211
pyroxene-pyroxenoid 10:236
pyrrhotite 8:8, 241
quartz 4:161, 10:273
silicates 4:265
sphalerite-wurtzite 6:1, 8:2
spinel 5:279
stellerite 2:365
stilbite 2:365
struvite 9:216
titanates 4:265
troilite 8:175
zircon 2:215
phenocrysts 3:306
phlogopite $KMg_3AlSi_3O_{10}\cdot(OH)_2$ 3:75, 84
phonon spectra 4:173, 341
phosphates 1:91
condensed 10:94
nickel orthophosphate 10:10
piemontite $Ca_2(Mn,Fe,Al)_2\cdot AlSi_3O_{12}OH$ 1:273, 286, 8:136
pigeonite $(Ca,Mg,Fe)_2Si_2O_6$ 1:109, 2:237, 4:361, 5:119, 7:260
pistacite cf. epidote
plagioclase $(Na,Ca)Al(Al,Si)\cdot Si_2O_8$ 1:95, 199, 213, 313, 3:33, 60, 69, 76, 263, 303, 4:115, 5:255, 6:169, 7:64, 77
andesine 3:37, 4:115
Böggild intergrowth 4:115
bytownite 1:199, 3:33, 6:169
defects 8:87
Henry's law 8:87
Huttenlocher exsolution 7:77
labradorite 1:95, 213, 3:33, 69, 74, 4:115, 6:169
oligoclase 3:34, 37
peristerite 4:115
cf. albite, anorthite
planar defects cf. defects
plastic properties
olivine 7:100
platinum Pt 8:197
pleochroic haloes
cordierite 10:200
point defects cf. defects
polylithionite $KLi_2AlSi_4O_{10}\cdot(F,OH)_2$ 7:71, 8:98, 99
polytypism
interaction energy 10:7
muscovite 9:146
pyroxenes 10:217
pyroxenoids 10:217
sphalerite-wurtzite 8:2
spinelloids 10:77
positrons
beryll 6:47
cordierite 6:47

potassium feldspar
cf. alkali feldspars
potassium sulfate 4:307
K_2SO_4 (III) 7:88, 211
potential model
fluorapatite 7:35
pressure effect
composition of wüstite 10:106
quartz 10:273
Raman spectra gypsum 10:89
*protolithionite 3:91
pseudo-symmetry
electron paramagnetic resonance 6:9
forsterite 6:9
psilomelan-todorokite 3:63
psi-scanning
pyroxene group 7:260
pumpellyite $Ca_2MgAl_2(SiO_4)(Si_2O_7)(OH)_2 \cdot H_2O$ 10:99
pyralspite garnet 3:56
pyrite FeS_2 7:177, 253, 9:109, 253
pyrope $Mg_3Al_2Si_3O_{12}$ 3:56
pyrosilicic acid $H_6Si_2O_7$ 6:221
pyroxene group 1:109, 3:78, 94, 173, 237, 4:105, 189, 5:119
acmite 1:273, 286
antiphase domains 5:119
augite 1:109, 2:237, 4:361, 10:230
$BaGeO_3$ 10:16
$CaFeAlSiO_6 - CaTiAl_2O_6$ 9:205
chain periodicity faults 10:230
clinoenstatite 3:97, 9:192, 10:217
clinopyroxenes 1:137, 3:173, 301, 4:102, 361, 7:105, 9:205
$CoSiO_3$ orthopyroxene 3:81
defects 8:87
diopside 1:109, 137, 3:60, 4:105
elastic properties 10:62
electron diffraction 6:109
enstatite 1:109, 3:60, 77, 306, 4:189, 265, 299, 5:343, 10:217
ferrosilite 1:109, 273, 289, 3:306, 9:229
Guinier-Preston zones 6:109
hedenbergite 1:109
Henry's law 8:87
intergrowth with pyroxenoids 10:230
johannsenite 10:236
kosmochlor 4:102
omphacite 5:119, 7:260, 9:30
orthoferrosilite 9:229
orthopyroxene 3:81, 303, 4:43, 6:109, 7:105, 260
pigeonite 1:109, 2:237, 4:361, 5:119, 7:260
protoenstatite 9:192
spodumene 1:15, 3:92, 7:260
subsolidus 6:109
transformation to pyroxenoids 10:236
pyroxenoid group 5:351
bustamite 10:236
chain periodicity faults 6:85, 9:229
*ferrosilite III 9:229
intergrowth with pyroxenes 10:230
lattice imaging 9:229
polytypism 10:217
pyroxferroite 5:351, 10:230
pyroxmangite 6:85
rhodonite 6:85, 10:230
transformation to pyroxene 10:236
twinning 10:217
pyroxferroite $FeSiO_3$ 5:351, 6:85
pyroxmangite $(Mn,Fe,Ca)SiO_3$ 5:351, 6:85
faults 6:85
pyrrhotite $Fe_{1-x}S$ 1:1, 3:82, 5:105, 8:8, 241

Q

quantum yield spectra 1:27
quartz SiO_2 2:37, 3:80, 81, 89, 91, 199, 4:11, 129, 5:53, 201, 309, 315, 367, 7:5, 110, 165, 8:20, 121, 128, 153
amethyst 3:92, 8:128
chemical bond 6:221, 305
citrine 6:145
deformation 9:67
density, refractive index 10:133
diffusion impurities 10:180
dislocations 5:53, 201
electron paramgnetic resonance 6:145, 10:149
etching 9:67
lattice dynamics 9:61
light scattering 9:79
microstructure 10:197
morphology 5:53
neutron polarization 5:309
pressure effect 10:273
radiation defects 10:84
re-entrant corner effect 5:53
related structures 10:273
shock effects 5:367, 10:142
Si–O bond length 10:273
smoky quartz 6:145
subgrain boundaries 5:201
synthetic 5:309
transformation 4:161, 10:273
twinning 5:53
water bubbles 9:79
X-ray line broadening 10:142
quartzite 3:163, 4:161

R

radiation defects cf. defects
radiation effects
feldspar group 8:17
Raman spectra
Al,Si ordering cordierite 10:256
analcime 7:96
anhydrite 4:341
fluorapatite 7:35
germanium fresnoite 7:26
gypsum 4:341, 10:89
pressure effect gypsum 10:89
spinel 8:64
strontium fresnoite 7:26
rare earth oxides 6:295
rare earth phosphate 1:91
rare earth silicates
electron microscopy 5:245
sodium 5:245
reaction andalusite 1:257
reactivity double oxides 2:279
rectorite 3:75
redledgeite $Mg_4Cr_6Ti_{23}Si_2O_{61} \cdot (OH)_4$ 3:85
re-entrant corner effect quartz 5:53
refractive index
in relation to density 10:133
plagioclase (shocked) 1:95
retgersite type $NiSO_4 \cdot 6H_2O$
zinc selenate 6:283
rhodochrosite $MnCO_3$ 5:141
rhodonite $(Mn,Ca)SiO_3$ 5:351, 6:85
faults 6:85
riebeckite $Na_2Fe_5Si_8O_{22} \cdot (OH,F)_2$ 5:219, 9:115
nuclear gamma ray resonance 5:219
ringwoodite $(Mg,Fe)_2SiO_4$ 3:89, 10:209
rock magnetism 5:235
rock salt NaCl cf. halite
rock salt NaCl type
defects 6:295
elastic properties 7:246
interatomic forces 7:246
lattice dynamics 7:246
three body forces 7:246
ruby Al_2O_3 4:253
*rumanite 7:1, 8:146
rutile, group
lead oxide 6:187
rutile 3:183, 4:265, 6:187
rutile type MgF_2 1:179

S

sanidine $KAlSi_3O_8$ 3:305, 4:83
dislocations 6:61
electron microscopy 6:61
sapphire Al_2O_3 3:231, 375
sarcopside $(Fe,Mn,Mg)_3(PO_4)_2$ 10:10
satellite reflections
labradorite 3:69
plagioclase 1:199
scanning electron microscopy (SEM)
cf. electron microscopy
scapolite 2:317
scheelite $CaWO_4$ 9:223
schorl $NaFe_3Al_6(BO_3)_3Si_6O_{18} \cdot (OH)_4$ 3:343
schorlomite garnet $Ca_3(Fe,Ti)_2(Si,Ti)_3O_{12}$ 1:399
s-electron denisty 5:343
sericite cf. muscovite
serpentine group cf. kaolinite-serpentine group
serpentine $(Mg,Fe)_3Si_2O_5(OH)_4$ 3:7, 6:209
shock effects 5:367
andalusite 1:257
baddelyite 9:237
$BaZnGeO_4$ 10:16
calcite 9:173
gypsum 9:173
halite 9:173
ilmenite 7:82
induced radiation 9:173
melilite 10:121
plagioclase 1:95
quartz 5:367, 7:165
quartz powder 10:142
spinel 9:248
stishovite 7:165
zircon 9:237
shock experiments 4:245
siderophyllite $KFe_2Al_3Si_2O_{10} \cdot (F,OH)_2$ 7:71
silica 1:257, 4:11, 5:367
amorphous 5:367
polymorphs 4:11
cf. coesite, cristobalite, quartz, stishovite
silicates 2:21, 89, 125, 215, 279, 4:83, 101, 5:315, 7:204
aminosilicates 7:204
Ca_2SiO_4 3:291
$CoSiO_3$, Co_2SiO_4 3:81
high pressure transformation $MSiO_3$ 4:265
ilmenite-type $MgSiO_3$ 2:171
ilmenite-type $ZnSiO_3$ 2:171
magnesium silicate 5:343
Na_2MgSiO_4, $Na_4Mg_2Si_3O_{10}$ 4:139
nickel aluminosilicates 10:77
Ni_2SiO_4 3:81, 4:189, 10:261
perovskite-type $CaSiO_3$ 3:291
perovskite-type $MgSiO_3$ 3:97
rare earth silicates 5:245
silicate garnets 4:235
spectrochemical analysis 5:315
spinel Co_2SiO_4 3:81
spinel Fe_2SiO_4 2:177, 349
spinel $(Mg,Fe)_2SiO_4$ 1:90
$ZnSiO_3$ 2:171, 4:265
silicic acid $Si(OH)_4$ 8:36
sillimanite Al_2SiO_5 1:265, 3:59, 133
siloxanes 6:221, 7:204
silver, native 8:193
*simetite 7:1, 8:146
simulation
sodalite 2:325, 337
cf. computer simulation
site compliance 6:295
site occupancy
Fe^{+2} 4:43
Mg,Fe 4:199

site preference
energy 10:192, 194
Ni_2SiO_4 10:261
ringwoodite 10:209
thermodynamic properties 10:166, 192, 194
smectite 8:218
cf. montmorillonite group
smoky quartz 6:145
smythite Fe_9S_{11} 8:241
sodalite group
chlorine sodalite 6:31
hydroxyl sodalite 3:83
iodine sodalite 6:208
sodium cadmium sulfate $Na_2Cd(SO_4)_2 \cdot 2H_2O$
electron paramagnetic resonance 6:283
kroehnkite type 6:269, 283
sodium fluoride NaF:Ca^{+2} 6:269
sodium rare earth silicates 5:245
soft X-ray spectroscopy
cf. X-ray spectra
solid solution
garnets 3:56
ilvaite 4:149
magnesiowüstite 3:11
spinel 8:64
solid solution thermodynamics
alkali feldspars 3:303, 305
biotite 3:304
carbonate 1:109
clinopyroxene 1:109
cordierite 3:304
epidote 3:304
ferromagnesium silicates 3:301, 302
hubnerite-ferberite 3:331
nepheline 3:303
orthopyroxene 1:109, 3:304, 306
plagioclase 3:304
solubility
lipscombite 9:263
p_H-dependence 9:49
sabugalite 9:23
solute redistribution 2:125
solvus
alkali feldspars 2:199
spectrochemical analysis
silicates 5:315
spectromechanical analyzer 3:199
spessartine $Mn_3Al_2Si_3O_{12}$ 1:282, 3:56, 4:101
sphalerite 6:1, 8:2
sphalerite group
elastic properties 6:1
phase transition 6:1
spinel group 3:60
Al–Co–Fe spinel 8:206
crystal field effect 8:69
dislocations 9:28
electron microscopy 9:248
Fe_2SiO_4 2:177, 349
infrared absorption 5:327
magnetic properties 9:124
magnetite 8:112
Mg–Al solid solution 8:64
$MgAl_2O_4$ 5:235, 279, 327
$(Mg,Fe)Al_2O_4$ 3:27
$(Mg,Fe)_2GeO_4$ 3:27
$(Mg,Fe)_2SiO_4$ 1:90
$(Mg,Fe)_2TiO_4$ 3:27
Mg_2GeO_4 7:241
modified 2:177
order-disorder 8:69, 9:1
phase transition 5:279
shock effects 9:248
silicate spinels 3:81
sulfide 4:317
systematics 4:137
thermodynamic properties 9:1
twinning 9:248
ulvöspinel 3:27, 8:112
spinelloids
$NiAl_2O_4$–Ni_2SiO_4 10:166
polytypism 10:166
spiral growth
cf. crystal growth
splitting
quartz 7:5
spodumene $LiAlSi_2O_6$ 1:15, 3:92, 7:260
stability 1:83
stable isotopes 2:105
stacking disorder cf. defects
stacking faults
pigeonite 4:361
staurolite $Fe_2Al_9Si_4O_{22}(OH)_2$ 3:301, 8:251
stellerite $Ca_8Al_{16}Si_{56}O_{144} \cdot 58H_2O$ 2:365
stilbite $Na_2Ca_8Al_{18}Si_{54}O_{144} \cdot 58H_2O$ 2:365
stishovite SiO_2 3:81, 86, 90, 97, 7:165
density, refractive index 10:133
stoichiometry
chalcopyrite 2:253
fayalite 10:27
mullite 1:265, 10:47
sillimanite 1:265
wüstite 10:106
strain analysis 3:327
stress relaxation high temperature galena 2:305
strontium fresnoite $Sr_2TiSi_2O_8$ 7:26
strontium plumbate 3:90
strontium titanate $SrTiO_3$ 4:23
structural deformation
cf. deformation
structure
alamosite 3:83
amesite 3:69
astrakhanite 3:83
cotunnite 3:83
diaspore 7:138
dioptase 3:83
hydroxyl apatite 3:83
hydroxyl sodalite 3:83
plagioclase heat treated 3:76
structure modelling
sodalite 6:208
struvite $(NH_4)MgPO_4 \cdot 6H_2O$ 9:216
subgrain boundaries
quartz 5:201
subsolidus
pyroxene 6:109
*succinite 7:1, 8:146
sulfate 1:53
sulfides 2:225
disulfide 2:317
spinel type 4:317
super-structure
anorthite 1:213
humite group 8:55
labradorite 1:213, 3:74
mullite 1:265, 10:47
plagioclase 1:199, 213
surface analysis
cf. morphology
surface microtopography
white mica 5:65
surface morphology
cf. morphology
sursassite $Mn_5Al_4Si_5O_{21} \cdot 3H_2O$ 10:99
susceptibility
cf. magnetic properties
syenites 3:78
symmetry 2:253
in silicates 3:67
synthetic minerals 4:281
jarosite type 6:327
lipscombite 7:197
plagioclase 5:255
quartz 5:309
serpentine 6:209
sodalite 6:208
wüstite 6:157

T

talc $Mg_3Si_4O_{10}(OH)_2$ 4:275
talc-like layer 1:88
tenorite CuO 3:92
tephroite Mn_2SiO_4 3:111
tetrahedral oxyanions 2:21
thermal analysis (DTA, TGA)
chalcedony 10:197
sabugalite 9:23
thermal expansion 1:83, 8:212
anhydrite 4:27
beryl 1:243
emerald 1:243
fayalite 7:60
indialite 1:243
magnesium cordierite 7:268
microcline 5:95
oxides 3:237
potassium sulfate 7:88
silicates 3:237
sodalite 2:337, 6:208
spinel 5:279
tephroite 3:111
thermal pressure 10:38
thermodynamic properties
periclase 9:38
spinel 9:1, 10:166, 192, 194
spinelloids 10:166
wüstite 10:106
cf. enthalpy, entropy, heat capacity
thermodynamics earth's interior 5:33
thermoluminescence (TL)
quartz 8:153
scheelite:REE 9:223
thiosilicates 7:204
three-body forces
rock salt type 7:246
time-temperature-transformation (TTT) diagrams cf. kinetics
titanates $MTiO_3$
high pressure transformation 4:265
titanium 3:173
andradite 4:55
spessartine 4:55
titanian clinopyroxene 3:173
titanian garnet 3:375, 381, 4:55
titanosilicate 3:62
titanomagnetite $(Fe,Mg,Ti)_3O_4$ 5:235
topaz $Al_2SiO_4(F,OH)_2$ 3:59, 82, 91
torbernite $Cu(UO_2)_2(PO_4)_2 \cdot 8$–$12H_2O$ 3:93, 6:129
tosudite 3:75
tourmaline 3:82, 343, 375, 4:209
transmission electron microscopy
cf. electron microscopy, lattice imaging
tremolite $(Ca_2Mg_5Si_8O_{22}(OH)_2$ 3:246, 4:275
troilite FeS 1:1, 3:72, 82, 8:175, 200, 10:245
tuhualite $(Na,K)Fe_2Si_6O_{15}$ 3:72
twin domains
hexacelsian 1:71
microcline 1:313
twinning
calcite 4:141
chabazite 9:139
chalcedony 10:197
clinoenstatite 9:192
protoenstatite 9:192
pyroxenes 10:217
pyroxenoids 10:217
quartz 4:129, 5:53, 8:20, 121
spinel 9:248
whewellite 7:124

U

ugrandite garnet 3:56
Umweg Anregung
pyroxene group 7:260
upper mantle
diamond 7:216
garnet 7:216
geobarometry 7:216
geothermometry 7:216
cf. earth's mantle
uraninite UO_{2-x} 7:151
uranite 3:63
uranophosphate 3:62
uvarovite $Ca_3Cr_2Si_3O_{12}$ 1:273, 293, 4:102

V

vanadate 1:91
velocity-density relation 3:251
vermiculite $(Mg,Ca)_{0.33}\cdot(Mg,Fe,Al)_6(Si,Al)_8\cdot O_{20}(OH)_4\cdot 8H_2O$ 5:133
  etching 5:133
  fission track 5:133
  rectorite 3:75
vermiculite group 8:218
vibrational structure
  scapolite 2:317
viridine $(Al,Mn)_2SiO_5$ 4:101, 8:136
vivianite $Fe_3(PO_4)_2\cdot 8H_2O$ 7:197

W

wadeite KSi_4O_8 3:86
wave velocity anomaly 4:161
whewellite $CaC_2O_4\cdot H_2O$ 7:124, 10:114
white mica 5:65, 68
wolframite $(Fe,Mn)WO_4$ 3:331, 7:190, 8:83
wurtzite (Zn,Fe)S 8:2, 241
  elastic properties 6:1
  phase transition 6:11
wüstite FeO 2:37, 89, 3:11, 6:157, 10:106
  compressibility 6:157

X

xanthophyllite $CaMg_2Al_4\cdot SiO_{10}(OH)_2$ 7:71
xenotime YPO_4 1:91
X-ray absorption near-edge structure (XANES)
  cf. X-ray spectra
X-ray diffraction
  line broadening 4:245
  line broadening shocked quartz 10:142
  streaking of reflections 4:245
X-ray photoelectron spectroscopy (XPS)
  chrysotile 1:385
  uraninite 7:151
  uranium oxide 7:151
X-ray spectra 1:325, 2:21, 5:285
  aluminosilicate 3:59
  antiperthite 3:263
  apatites 3:60
  augite 4:361
  borates 7:159
  copper-sulfur 2:225
  emission 1:27
  Fe-minerals 10:1
  ferrous silicates 3:145
  gold, native 8:193
  inclusion compounds 3:67
  iron 3:145, 5:285, 9:212, 10:1
  $LiAlO_2:Fe^{+3}$ 9:212
  nemalite 3:79
  olivines 3:95
  perovskite-type $MgSiO_3$ 3:97
  pigeonite 4:361
  plagioclase 3:76
  platinum 8:197
  quartz 7:165
  silicates 3:59, 10:137
  silver, native 8:193
  sulfides 9:253
  stishovite 7:165
  troilite-pyrrhotite 3:82
X-ray topography
  amethyst 8:128
  diamond 8:105
  quartz 8:121
  spodumene 1:15

Y

yield strength
  dolomite 7:271
yoderite $(Mg,Al)_8Si_4(O,OH)_{20}$ 3:271, 8:143, 251

Z

zektzerite $NaLiZrSi_6O_{15}$ 3:72
zeolite 2:365, 3:63, 67
  analcime 7:96
  barrerite 2:365, 9:189
  chabazite 9:139
  natrolite 3:62
  stellerite 2:365
  stilbite 2:365
zinc 6:295
zinc selenate $ZnSeO_4\cdot 6H_2O$
  electron paramagnetic resonance 6:283
  retgersite type 6:283
zinc silicate $ZnSiO_3$ 2:171, 4:265
zinc sulfide type 6:295
zircon $ZrSiO_4$ 1:325, 2:215, 7:47, 9:237
zirconium 1:325
zirconium andradite $Ca_3Fe_2(Si_{1-x}Zr_x)_3O_{12}$ 4:60
zirconosilicate 3:62

PHYSICS AND CHEMISTRY OF MINERALS

Instructions to Authors

It is a **fundamental condition** that submitted manuscripts have not been, and will not be, simultaneously submitted elsewhere.

Manuscripts should be in English. They should be typed double-spaced on one side of the paper only with a wide margin of at least 3 cm. The pages, including tables and figure captions, should be numbered and **submitted in triplicate** to one of the Editors. Papers should present scientific results which are essentially new. They must be concise and informative, with a minimum number of illustrations. Extensive tables of data should be placed on file at the author's institution and directions for obtaining them given in a footnote. The journal will also publish review articles and brief communications; however, it is advisable to first consult one of the Editors before submitting a review.

There are **no page charges** for authors although a charge will be made for changes introduced after the manuscript has been set in type. A total of **50 reprints** of each paper are provided **free of charge** to the authors. Additional copies may be purchased per hundred. The reprints will be sent to the corresponding author within three weeks after appearance of the issue.

The **title page** should include in the following order:

- Title
- Author(s) name(s)
- Complete postal address(es) of authors' institution(s)
- Any footnotes to the title
- Key words (not more than five) for subject indexing

Each paper must be preceded by a concise **Abstract** which clearly relates the problem, methods, results, and conclusions reported by the article so that it can be used immediately by current awareness publications or other information retrieval systems.

Papers should be divided into sections. Each of these divisions may be further subdivided with subheadings (underlined).

Footnotes, other than those referring to the title heading, should be numbered consecutively.

All **symbols** representing physically or mathematically variable scalars to be underlined in the manuscript to indicate printing in *italic* type. Vectors, tensors, and symbols representing matrices to be set in **bold face** type should be given a wavy underlining. All other symbols such as chemical symbols, units, and function symbols (e.g. Å, sin, cos) will be set in normal type.

References in the text should be quoted by author and year and listed **alphabetically** in full at the end of the paper. Multi-author papers should be cited in the text up to two authors; where there are more than two, give the first author, "et al.", and the year. In the reference list, however, all authors must be cited. *Examples:*

(a) Text
Kroll and Müller 1980 or
Yagi et al. 1978

(b) Reference List:
Kroll H, Müller WF (1980) X-ray and electronoptical investigation of synthetic high-temperature plagioclases. Phys Chem Minerals 5:255–277

Yagi T, Mao H-K, Bell PM (1978) Structure and crystal chemistry of perovskite-type $MgSiO_3$. Phys Chem Minerals 3:97–110

Journals should be abbreviated in accordance with *Chemical Abstracts* or *Bibliographic Guide for Editors and Authors (BGEA).*

A reference to a book should be cited as:
Goldschmidt VM (1958) Geochemistry. Oxford University Press, London

Example of an article quoted from a book:
Nagata T, Fukushima N (1971) Morphology of Magnetic Disturbance. In: Rawer K (ed) Handbuch der Physik, Bd. XLIX/3: Geophysik III. Springer, Berlin Heidelberg New York, pp 5–130

Each **figure** must be cited in the text, numbered, and submitted in the desired final size and form. Possibilities: a full or part page (max. size: 178×248 mm); a full or part column (max. size: 86×248 mm). Figures wider than one column or less than the width of a page must be avoided. Illustrations should be grouped together in plate form not exceeding the print area of 178×248 mm. Authors should retain the original figures. For **line drawings,** please submit high-quality glossy prints. Capital letters of 1.8 mm and small letters of 1.2 mm are recommended.

Halftone Illustrations. Please submit photographic (glossy) prints with good contrast, trimmed at right angles, and in the desired final size. Inscriptions should be about 3 mm high.

In case reduction is necessary, please state the alternative scale desired, and take into consideration the appropriate size of letters and inscriptions so that they can be read after reduction. The publisher reserves the right to reduce or enlarge illustrations.

Captions for figures should be listed on a separate sheet. Each figure should be briefly and clearly described. Remarks such as "For explanation see text" should be avoided.

Tables should be typed on separate sheets, numbered with Arabic numerals, and given a title.

With the acceptance of a manuscript for publication, the publisher acquires the **sole copyright** for all languages and countries.

PHYSICS AND CHEMISTRY OF MINERALS

In Cooperation with the International Mineralogical Association (IMA)

Physics and Chemistry of Minerals is an international journal devoted to publishing articles and short communications of physical or chemical studies on minerals or solids related to minerals. The aim of the journal is to support competent interdisciplinary work in mineralogy and physics or chemistry. Particular emphasis is placed on applications of modern techniques or new theories and models to interpret atomic structures and physical or chemical properties of minerals. Some subjects of interest are:

- Relationships between atomic structure and crystalline state (structures of various states, crystal energies, crystal growth, thermodynamic studies, phase transformations, solid solution, exsolution phenomena, etc.)
- General solid state spectroscopy (ultraviolet, visible, infrared, Raman, ESCA, luminescence, X-ray, electron paramagnetic resonance, nuclear magnetic resonance, gamma ray resonance, etc.)
- Experimental and theoretical analysis of chemical bonding in minerals (application of crystal field, molecular orbital, band theories, etc.)
- Physical properties (magnetic, mechanical, electric, optical, thermodynamic, etc.)
- Relations between thermal expansion, compressibility, elastic constants, and fundamental properties of atomic structure, particularly as applied to geophysical problems
- Electron microscopy in support of physical and chemical studies.

Manuscripts submitted to the journal should conform to the "Instructions to Authors" and may be sent to one of the

Editors

I. Jackson
The Australian National University
Research School of Earth Sciences
Box 4
Canberra 2601, Australia

A.S. Marfunin
IGEM
Academy of Sciences of the USSR
Staromonetniy 35
Moscow 109017, USSR

C.T. Prewitt
State University of New York
at Stony Brook
Department of Earth
and Space Sciences
Stony Brook, New York 11794, USA

F. Seifert
Mineralogisch-Petrographisches
Institut der Universität
Olshausenstraße 40
2300 Kiel, West Germany

Subscription Information

Volume 11 (6 issues) will appear in 1984. The annual subscription rate for **Canada, Mexico, and USA** is approx. US$153.00 including postage and handling. Subscriptions are entered with prepayment only. Orders can be placed with your bookdealer or with Springer-Verlag New York Inc., Journal Sales Department, 44 Hartz Way, Secaucus, NJ 07094, USA, Tel. (201) 348-4033, Telex 0023125994.

For **all other countries,** the annual subscription rate is DM 370.00 or approx. US$146.00 plus postage and handling. The price of a single issue is DM 74.00. Orders can be placed with your bookdealer or with Springer-Verlag, Heidelberger Platz 3, 1000 West Berlin 33, Tel. (030) 8207-1, Telex 183319.

Prices for **back volumes** are available on request. Correspondence concerning subscriptions should be addressed to the Secaucus office for North America and the Berlin office for all other countries.

Changes of address need six weeks to become effective. All communications should include both old and new addresses with zip codes. Please return a mailing label from a recent issue for identification.

Microform editions are available from: University Microfilms International, 300 N. Zeeb Road, Ann Arbor, MI 48106, USA.

Copyright

By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature, and translations.

Photographic reproduction, microform, or any other reproduction of text, figures, or tables from this journal is prohibited without permission obtained from the publisher.

Special Regulations for the USA

Photocopies may be made for personal or internal use beyond that permitted by Section 107 or 108 of the U.S. Copyright Law, provided a fee is paid. This fee is $0.20 per page or a minimum of $1.00 if an article consists of less than five pages. Please pay this fee to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0342-1791, volume, and first and last page numbers of each article copied.

The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying.

Production

Springer-Verlag
Postfach 105280
6900 Heidelberg 1, West Germany
Tel. (06221) 487-0, Telex 461723.

Responsible for Advertisements

Springer-Verlag
E. Lückermann
Kurfürstendamm 237, 1000 West Berlin 15,
Tel. (030) 8821031, Telex 185411

Printers

Universitätsdruckerei H. Stürtz AG, Würzburg

© Springer-Verlag Berlin-Heidelberg 1984

Springer-Verlag GmbH & Co. KG
1000 Berlin 33